



GOVERNMENT OF TAMILNADU

STANDARD SEVEN

TERM - I

VOLUME - 3

SCIENCE SOCIAL SCIENCE

A publication under Free Textbook Programme of Government of Tamil Nadu

Department of School Education

Untouchability is Inhuman and a Crime

Government of Tamil Nadu

First Edition - 2019

(Published under New Syllabus in
Trimester Pattern)

NOT FOR SALE

Content Creation



State Council of Educational Research
and Training

© SCERT 2019

Printing & Publishing



Tamil NaduTextbook and Educational
Services Corporation

www.textbooksonline.tn.nic.in

PREFACE

The Science textbook for standard Seven has been prepared following the guidelines given in the National Curriculum Framework 2005. The book enables the reader to read the text, comprehend and perform the learning experiences with the help of teacher. The Students explore the concepts through activities and by the teacher demonstration. Thus the book is learner centric with simple activities that can be performed by the students under the supervision of teachers.

HOW TO USE THE BOOK?

- ❖ The First term VII Science book has six units.
- ❖ Two units planned for every month including computer science chapter has been introduced.
- ❖ Each unit comprises of simple activities and experiments that can be done by the teacher through demonstration if necessary student's can perform them.
- ❖ Colorful info-graphics and info-bits enhance the visual learning.
- ❖ Glossary has been introduced to learn scientific terms.
- ❖ The "Do you know?" box can be used to enrich the knowledge of general science around the world.
- ❖ ICT Corner and QR code has been introduced in each unit for the first time to enhance digital science skills.

Lets use the QR code in the text books ! How ?

- ❖ Download the QR code scanner from the Google play store/ Apple App Store into your Smart phone.
- ❖ Open the QR code scanner application
- ❖ Once the scanner button in the application is clicked, camera opens and then bring it closer to the QR code in the text book.
- ❖ Once the camera detects the QR code, a URL appears in the screen.
- ❖ Click the URL and go to the content page.






Table of Contents

Unit 1	Measurement	1
Unit 2	Force and Motion	16
Unit 3	Matter Around Us	29
Unit 4	Atomic Structure.....	46
Unit 5	Reproduction and Modification in Plants	60
Unit 6	Health and Hygiene.....	81
Unit 7	Visual Communication	98



E - book



Assessment



DIGI links




Lets use the QR code in the text books ! How ?


- Download the QR code scanner from the Google PlayStore/ Apple App Store into your smartphone
- Open the QR code scanner application
- Once the scanner button in the application is clicked, camera opens and then bring it closer to the QR code in the text book.
- Once the camera detects the QR code, a url appears in the screen.Click the url and goto the content page.

Unit 1


Measurement




3D Solid Shapes




Sphere




Cylinder




Cone



Cube



Cuboid



Hexagonal Prism

Learning Objectives

After studying this unit, students will be able

- ❖ To identify fundamental and derived physical quantities.
- ❖ To identify fundamental and derived units.
- ❖ To obtain units for certain derived quantities.
- ❖ To measure the area and volume of some regular shaped and irregular shaped objects.
- ❖ To convert the volume of objects from cubic metre to litre and vice versa.
- ❖ To calculate the density of solids and liquids.
- ❖ To define Astronomical unit and light year.



Introduction:

How are the various articles and materials shown in the picture measured?

Vegetables	Cloth	Milk	Time
_____	_____	_____	_____
Litre	Metre	Second	Kilogram

In day to day life, we measure many things such as the weight of fruits, vegetables, food grains, volume of liquids, temperature of the body, speed of the vehicles etc., Quantities such as mass, weight, distance, temperature, volume are called physical quantities.

A value and a unit are used to express the magnitude of a physical quantity. For example Suresh walks 2 kilometre everyday. In this example '2' is the value and 'kilometre' is the unit used to express the magnitude of distance which is a physical quantity.

1.1 Fundamental and derived quantities:

Generally, physical quantities are classified into two types, namely, (i) Fundamental quantities and (ii) Derived quantities.

Fundamental quantities:

A set of physical quantities which cannot be expressed in terms of any other quantities are known as "Fundamental quantities". Their corresponding units are called "Fundamental units".

There are seven fundamental physical quantities in SI Units (System of International Units).

S.No.	Fundamental quantity	Fundamental unit
1	Length	Metre (m)
2	Mass	Kilogram (kg)
3	Time	Second (s)
4	Temperature	Kelvin (K)
5	Electric current	Ampere (A)
6	Amount of substance	Mole (Mol)
7	Luminous (light) intensity	Candela (cd)

Derived quantities:

All other physical quantities which can be obtained by multiplying, dividing or by mathematically combining the fundamental quantities are known as "derived quantities".

Their corresponding units are called "Derived units". Some of the derived quantities and their units are given in table 1.1.

1.2 Area:

The area is a measure of how much space there is on a flat surface.

The area of the plot of land is derived by multiplying the length and breadth

$$\text{Area} = \text{length} \times \text{breadth}$$


The unit of the area is = metre \times metre

$$= \text{metre}^2$$


$$= \text{m}^2 \quad (\text{Read as square metre})$$

Table 1.1 Some of the derived quantities and their units in SI System of units

S.No.	Derived quantity	Unit
1	Area = length \times breadth	$\text{m} \times \text{m} = \text{square metre (or) m}^2$
2	Volume = length \times breadth \times height	$\text{m} \times \text{m} \times \text{m} = \text{cubic metre (or) m}^3$
3	Speed = distance / time	$\text{m} / \text{s (or) m s}^{-1}$
4	Electric charge = electric current \times time	$\text{A} \times \text{s} = \text{As (or) Coulomb (C)}$
5	Density = mass / volume	$\text{Kg} / \text{m}^3 \text{ (or) kg m}^{-3}$



Area is a derived quantity as we obtain are by multiplying twice of the fundamental physical quantity length.



Problem 1.1

What is the area of a 10 squares each of side of 1 m.

$$\begin{aligned}\text{Area of a square} &= \text{side} \times \text{side} \\ &= 1 \text{ m} \times 1 \text{ m} \\ &= 1 \text{ m}^2 \text{ or } 1 \text{ square metre} \\ \text{Area of 10 squares} &= 1 \text{ square metre} \times 10 \\ &= 10 \text{ square metre}\end{aligned}$$

(Even though the area is given in square metre, the surface need not to be square in shape)

Area of regularly shaped figures

The area of regularly shaped figures can be calculated using the relevant formulae. In the table 1.2, the formulae used to calculate the area of certain regularly shaped figures are given.

Problem 1.2





Find the area of the following regular shaped figures: (Take $\pi = 22/7$)

- A rectangle whose length is 12 m and breadth is 4 m.
- A circle whose radius is 7 m.
- A triangle whose base is 6 m and height is 8 m.

Solution:

- Area of rectangle = length \times breadth
 $= 12 \times 4$
 $= 48 \text{ m}^2$
- Area of circle = $\pi \times r^2 = (22/7) \times 7 \times 7$
 $= 154 \text{ m}^2$

Table 1.2 Area of some regularly shaped figures

S.No.	Plane figure	Diagram of figure	Area
1	Square		side \times side $a \times a = a^2$
2	Rectangle		length \times breadth $l \times b = lb$
3	Circle		$\pi \times (\text{radius})^2$ $\pi \times r^2$ πr^2
4	Triangle		$(1/2) \times \text{base} \times \text{height}$ $1/2 \times b \times h$

$$\begin{aligned}
 \text{(c) Area of triangle} &= (1/2) \times \text{base} \times \text{height} \\
 &= (1/2) \times 6 \times 8 \\
 &= 24 \text{ m}^2
 \end{aligned}$$

Area of irregularly shaped figures

In our daily life, we encounter many irregularly shaped figures like leaves, maps, stickers of stars or flowers, peacock feather etc. The area of such irregularly shaped figures cannot be calculated using any formula.

How can we find the area of these irregularly shaped objects?

We can find the area of these figures with the help of a graph sheet.

The following activity shows how to find the area of irregularly shaped plane figures.

The graphical method explained above can be used to find the area of regularly shaped figures also. In the case of square and rectangle, this method gives the area accurately.

1.3 Volume

The amount of space occupied by a three dimensional object is known as its volume.

$$\text{volume} = \text{surface area} \times \text{height}$$

The SI unit of volume is cubic metre or m^3 .

Volume of regularly shaped objects

As in the case of area, the volume of the regularly shaped objects can also be determined using an appropriate formula.

Table 1.3 gives the formulae used to calculate the volume of these regularly shaped objects.

Problem 1.3

Find the volume of (Take $\pi = 22/7$)

- a cube whose side is 3 cm.

ACTIVITY 1

Take a leaf from any one of trees in your neighbourhood. Place the leaf on a graph sheet and draw the outline of the leaf with a pencil (Figure 1.2). Remove the leaf. You can see the outline of the leaf on the graph sheet.




Figure 1.1 Area of an irregularly shaped plane figure

- Now, count the number of whole squares enclosed within the outline of the leaf. Take it to be M.
- Then, count the number of squares that are more than half. Take it as N.
- Next, count the number of squares which are half of a whole square. Note it to be P.
- Finally, count the number of squares that are less than half. Let it be Q.
- $M = \underline{\hspace{2cm}}; \quad N = \underline{\hspace{2cm}};$
 $P = \underline{\hspace{2cm}}; \quad Q = \underline{\hspace{2cm}}$

Now, the approximate area of the leaf can be calculated using the following formula:

$$\text{Approximate area of the leaf} = M + (3/4) N + (1/2) P + (1/4) Q \text{ square cm.}$$

$$\text{Area of the leaf} = \underline{\hspace{2cm}}.$$

This formula can be used to calculate the area of any irregularly shaped plane figures.

ACTIVITY 2

Draw the following regularly shaped figures on a graph sheet and find their area by the graphical method. Also, find their area using appropriate formula. Compare the results obtained in two methods by tabulating them.

- A rectangle whose length is 12 cm and breadth is 4 cm.
- A square whose side is 6 cm.
- A circle whose radius is 7 cm.
- A triangle whose base is 6 cm and height is 8 cm.

S. No.	Shape	Area using formula	Area using graphical method

- a cylinder whose radius is 3 m and height is 7 m.


Solution:

- Volume of a cube = side \times side \times side =
 $3 \text{ cm} \times 3 \text{ cm} \times 3 \text{ cm} = 27 \text{ cubic cm or cm}^3$.
- Volume of a cylinder = $\pi \times r^2 \times \text{height}$ =
 $(22/7) \times 3 \times 3 \times 7 = 198 \text{ m}^3$.

Volume of liquids

Liquids also occupy some space and hence they also have volume. But, liquids do not possess any definite shape. So, the volume of a liquid cannot be determined as in the case of solids. When a liquid is poured into a container, it takes the shape and volume of the container. The volume of any liquid is equal to the space that it fills and it can

be measured using a measuring cylinder or measuring beaker. The maximum volume of liquid that a container can hold is known as the “capacity of the container”. A measuring container is graduated as shown in figure.



Measuring containers

The volume of a liquid is equal to the volume of space it fills in the container. This can be directly observed from the readings marked in the measuring containers. If we notice the measuring cups given in figure carefully, we can observe that the readings are marked in the unit of “ml”. This actually represents millilitre. To understand this unit of volume, let us first understand how much a litre means. Litre is the commonly used unit to measure the volume of liquids. we can understand that the unit of volume is cubic cm if the dimensions of the object are given in cm. This cubic cm is commonly known as cc. A volume of 1000 cc is termed as one litre (l).

$$1 \text{ litre} = 1000 \text{ cc or cm}^3$$

$$1000 \text{ ml} = 1 \text{ litre}$$







To measure the volume of liquids, some other units are also used. Some of them are gallon, ounce, and quart.

$$1 \text{ gallon} = 3785 \text{ ml}$$

$$1 \text{ ounce} = 30 \text{ ml}$$

$$1 \text{ quart} = 1 \text{ litre}$$

Table 1.3 Volume of regularly shaped objects

S.No.	Objects	Figure	Volume
1	Cube		side \times side \times side $a \times a \times a$ a^3
2	Cuboid		length \times breadth \times height $l \times b \times h$ $l b h$
3	Sphere		$\frac{4}{3} \times \pi \times (\text{radius})^3$ $\frac{4}{3} \times \pi \times r^3$ $\frac{4}{3} \pi r^3$
4	Cylinder		$\pi \times (\text{radius})^2 \times \text{height}$ $\pi \times r^2 \times h$ $\pi r^2 h$


Volume of irregularly shaped objects

As we discussed earlier for the case of area, there are no formulae to determine the volume of irregularly shaped objects. For such cases, their volume can be determined using a measuring cylinder and water.

**1.4 Density**

Take water in a beaker and drop an iron ball and a cork bowl into the water. What do you observe? The iron ball sinks and the cork floats as shown in figure. Can you explain why? If your answer is “heavy objects sink in water and lighter objects

float in water”, then, why does a metal coin sink in water whereas a much heavier wooden log floats? These questions can be answered when we understand the concept of density.



Iron ball sinks while cork floats in water




Lighter coin sinks while heavier wooden log floats

ACTIVITY 3

Take a measuring cylinder and pour some water into it (Do not fill the cylinder completely). Note down the volume of water from the readings of the measuring cylinder. Take it as V_1 . Now take a small stone and tie it with a thread. Immerse the stone inside the water by holding the thread. This has to be done such that the stone does not touch the walls of the measuring cylinder (Figure). Now, the level of water has raised. Note down the volume of water and take it to be V_2 . The volume of the stone is equal to the raise in the volume of water.

$V_1 = \text{_____}; V_2 = \text{_____};$

Volume of stone = $V_2 - V_1$
= _____.



Volume of an irregularly shaped object

From the activity 4, we observe that wooden block occupies more volume than the iron ball of same mass. Also, we observe that wooden block is lighter than the iron block of same size.

The lightness or heaviness of a body is due to density. If more mass is packed into the same volume, it has greater density. so, the iron block will have more mass than the wooden block of the same size. Therefore iron has more density.

Definition of density:

Density of a substance is defined as the mass of the substance contained in unit volume (1 m^3).

If the mass of a substance is “M” whose volume is “V”, then, the equation for density is given as

$$\text{Density (D)} = \frac{\text{mass (M)}}{\text{volume (V)}}$$

$$D = \frac{M}{V}$$

ACTIVITY 4

- (a) Take an iron block and a wooden block of same mass (say 1kg each). Measure their volume. Which one of them has more volume and occupies more volume?

Ans: _____

- (b) Take an iron block and a wooden block of same size. Weigh them and measure their mass. Which one of them has more mass?

Ans: _____

Unit of density

SI unit of density is kg/m^3 . The CGS unit of density is g/cm^3 .

Density of different materials

Different materials have different densities. The materials with higher density are called “denser” and the materials with lower density are called “rarer”.

The density of some widely used materials are listed in the following table 1.4.

Table 1.4 Density of some common substances, at room temperature

S.No.	Nature	Materials	Density (kg/m^3)
1	Gas	Air	1.2
2	Liquid	Kerosene	800
3		Water	1,000
4		Mercury	13,600
5	Solid	Wood	770
6		Aluminium	2,700
7		Iron	7,800
8		Copper	8,900
9		Silver	10,500
10		Gold	19,300

Suppose you have one Kg of iron and gold, which of them would have more volume than the other? Give your reason.

Problem 1.4

A solid cylinder of mass 280 kg has a volume of 4 m^3 . Find the density of cylinder.

Solution:

$$\begin{aligned}\text{Density of cylinder} &= \frac{\text{mass of cylinder}}{\text{volume of cylinder}} \\ &= \frac{280}{4} = 70 \text{ kg/m}^3\end{aligned}$$

Problem 1.5

A box is made up of iron and it has a volume of 125 cm^3 . Find its mass. (Density of iron is 7.8 g/cm^3).

Solution:

$$\begin{aligned}\text{Density} &= \text{Mass} / \text{Volume} \\ \text{Hence, Mass} &= \text{Volume} \times \text{Density} \\ &= 125 \times 7.8 = 975 \text{ g.}\end{aligned}$$


Problem 1.6

A sphere is made from copper whose mass is 3000 kg. If the density of copper is 8900 kg/m^3 , find the volume of the sphere.

Solution:

$$\begin{aligned}\text{Density} &= \text{Mass} / \text{Volume} \\ \text{Hence, Volume} &= \text{Mass} / \text{Density} \\ &= 3000 / 8900 = 30 / 89 \\ &= 0.34 \text{ m}^3\end{aligned}$$

The relationship between Mass, density and volume are represented in the following density triangle:



- Density = Mass / Volume
- Mass = Density × Volume
- Volume = Mass / Density

Relationship between density, mass and volume

1.5 Measuring distance of celestial bodies

Normally, we use centimeter, metre and kilo metre to express the distances that we measure in our day to day life. But, for space research, astronomers need to measure very long

distances such as the distance between the earth and a star or the distance between two stars. To express these distances, we shall learn about two such units, namely,

- i. Astronomical unit
- ii. Light year



Water has more density than oils like cooking oil and castor oil, although these oils appear to be denser than water.

Density of castor oil is 961 kg/m^3 . If we put one drop of water in oil, water drop sinks. But, if we put one drop of oil in water, oil floats and forms a layer on water surface. However, some oils are denser than water.

Astronomical unit

We all know that the earth revolves around the sun in an elliptical orbit. Hence, the distance between the sun and the earth varies every day. When the earth is in its perihelion position (Perihelion is position of the shortest distance between the earth and the sun), the distance between the earth and the sun is about 147.1 million kilometre. When the earth is in its farthest position, that is when the distance between Earth and Sun is the largest (called aphelion position) the distance

is 152.1 million kilometer. The average distance between the earth and the sun is about 149.6 million kilometer. This average distance is taken as one astronomical unit.

Neptune is 30 AU away from the Sun. It means it is thirty times farther than the Earth.

One astronomical unit is defined as the average distance between the earth and the sun.

$$1 \text{ AU} = 149.6 \text{ million km} = 149.6 \times 10^6 \text{ km} \\ = 1.496 \times 10^{11} \text{ m.}$$

Light year


The nearest star to our solar system is Proxima Centauri. It is at a distance of 2,68,770 AU. We can clearly see that using the AU for measuring



distances of stars would be unwieldy. Therefore, astronomers use a special unit, called 'light year', for measuring the distance in deep space. We have learnt that the speed of light in vacuum is $3 \times 10^8 \text{ m/s}$. This means that light travels a distance of $3 \times 10^8 \text{ m}$ in one second. In a year (non-leap), there are 365 days. Each day has 24 hours; Each hour has 60 minutes; Each minute has 60 seconds.

Thus, the total number of seconds

$$\begin{aligned} \text{in one year} &= 365 \times 24 \times 60 \times 60 \\ &= 3.153 \times 10^7 \text{ second} \end{aligned}$$



Perihelion and Aphelion position of earth



If light travels a distance of 3×10^8 m in one second, then the distance travelled by light in one year = $3 \times 10^8 \times 3.153 \times 10^7 = 9.46 \times 10^{15}$ m. This distance is known as one light year.

One light year is defined as the distance travelled by light in vacuum during the period of one year.

$$1 \text{ Light year} = 9.46 \times 10^{15} \text{ m.}$$

In terms of light year, Proxima Centauri is at 4.22 light-years from Earth and the Solar System (and Earth). The Earth is located about 25,000 light-years away from the galactic center.

Points to remember:

- ❖ A set of physical quantities which cannot be expressed in terms of any other quantities are known as “Fundamental quantities”. Their corresponding units are called “Fundamental units”.
- ❖ The physical quantities which can be obtained by mathematically combining (i.e., multiplying and dividing) the fundamental quantities are known as “Derived quantities”. Their corresponding units are called “Derived units”.
- ❖ The area of a figure is the region covered by the boundary of the figure. Its SI unit is square metre or m^2 .
- ❖ The area of irregularly shaped figures can be calculated with the help of a graph sheet.
- ❖ The amount of space occupied by a three dimensional object is known as its volume. The SI unit of volume is cubic metre or m^3 .
- ❖ The volume of liquids are expressed in terms of litre. One litre = 1000 cc.
- ❖ The maximum volume of a liquid that a container can hold is known as the capacity of the container.
- ❖ Density of a substance is defined as the mass of the substance contained in unit volume (1 m^3).
- ❖ SI unit of density is kg/m^3 . The CGS unit of density is g/cm^3 . $1 \text{ g/cm}^3 = 10^3 \text{ kg/m}^3$.
- ❖ The materials with higher density are called “denser” and the materials with lower density are called “rarer”.
- ❖ If the density of a solid is higher than that of a liquid, it sinks in that liquid. If the density of a solid is lower than that of a liquid, it floats in that liquid.
- ❖ Density = Mass / Volume
- ❖ Mass = Density \times Volume
- ❖ Volume = Mass / Density
- ❖ One astronomical unit is defined as the average distance between the earth and the sun. $1 \text{ AU} = 149.6 \times 10^6 \text{ km} = 1.496 \times 10^{11} \text{ m}$.
- ❖ One light year is defined as the distance travelled by light in vacuum during the period of one year. $1 \text{ Light year} = 9.46 \times 10^{15} \text{ m}$.



ICT CORNER

Measurement

Let's know about the effects of mass and volume on density.



PROCEDURE :

- Step 1:** Use the URL or scan the QR code to open the activity page.
- Step 2:** Select the options at top right side window to customize
- Step 3:** Move the sliders on the top left-side window to change the Material and Mass, Volume. Now see the effects of mass and volume on density.
- Step 4:** Click 'Reset all' button to refresh



Step 1



Step 2



Step 3



Step 4

Measurement URL:

<https://phet.colorado.edu/en/simulation/density> (or) scan the QR Code

*Pictures are indicative only

*If browser requires, allow Flash Player or Java Script to load the page.



B351_7_SCI_EM



Evaluation

I. Choose the appropriate answer:

- Which of the following is a derived unit?
 - mass
 - time
 - area
 - length
- Which of the following is correct?
 - 1L = 1cc
 - 1L = 10 cc
 - 1L = 100 cc
 - 1L = 1000 cc
- SI unit of density is
 - kg/m^2
 - kg/m^3
 - kg/m
 - g/m^3
- Two spheres have equal mass and volume in the ratio 2:1. The ratio of their density is
 - 1:2
 - 2:1
 - 4:1
 - 1:4
- Light year is the unit of
 - Distance
 - time
 - density
 - both length and time



II. Fill in the blanks:

- Volume of irregularly shaped objects are measured using the law of _____.
- One cubic metre is equal to _____ cubic centimetre.
- Density of mercury is _____.
- One astronomical unit is equal to _____.
- The area of a leaf can be measured using a _____.

III. State whether the following statements are true or false:

- The region covered by the boundary of the plane figure is called its volume.
- Volume of liquids can be found using measuring containers.
- Water is denser than kerosene.
- A ball of iron floats in mercury.
- A substance which contains less number of molecules per unit volume is said to be denser.

IV. Match the items in column-I to the items in column-II:

(1)	Column-I	Column-II
i.	Area	(a) light year
ii.	Distance	(b) m^3
iii.	Density	(c) m^2
iv.	Volume	(d) kg
v.	Mass	(e) kg / m^3

(2)	Column-I	Column-II
i.	Area	(a) g / cm^3
ii.	Length	(b) measuring jar
iii.	Density	(c) amount of a substance
iv.	Volume	(d) rope
v.	Mass	(e) plane figures

V. Arrange the following in correct sequence:

- 1L, 100 cc, 10 L, 10 cc
- Copper, Aluminium, Gold, Iron

VI. Use the analogy to fill in the blank:

- Area: m^2 :: Volume: _____
- Liquid: Litre :: Solid: _____
- Water: kerosene :: _____ : Aluminium

VII. Assertion and reason type questions:

Mark the correct choice as

- If both assertion and reason are true and reason is the correct explanation of assertion.
- If both assertion and reason are true, but reason is not the correct explanation of assertion.
- Assertion is true but reason is false.
- Assertion is false but reason is true.

- Assertion:** Volume of a stone is found using a measuring cylinder.

Reason: Stone is an irregularly shaped object.

- Assertion:** Wood floats in water.
Reason: Water is a transparent liquid.
- Assertion:** Iron ball sinks in water.
Reason: water is denser than iron.

VIII. Give very short answer:

- Name some of the derived quantities.
- Give the value of one light year.
- Write down the formula used to find the volume of a cylinder.
- Give the formula to find the density of objects.
- Name the liquid in which an iron ball sinks.
- Name the units used to measure the distance between celestial objects.
- What is the density of gold?

IX. Give short answer:


- What are derived quantities?
- Distinguish between the volume of liquid and capacity of a container.
- Define the density of objects.
- What is one light year?
- Define -one astronomical unit?

X. Answer in detail.

- Describe the graphical method to find the area of an irregularly shaped plane figure.
- How will you determine the density of a stone using a measuring jar?

XI. Questions based on Higher Order Thinking skills:

- There are three spheres A, B, C as shown below:



Sphere A and B are made of the same material. Sphere C is made of a different material. Spheres A and C have equal radii. The radius of sphere B is half that of A. Density of A is double that of C. Now answer the following questions:


- Find the ratio of masses of spheres A and B.
- Find the ratio of volumes of spheres A and B.
- Find the ratio of masses of spheres A and C.

XII. Numerical problems:

- A circular disc has a radius 10 cm. Find the area of the disc in m^2 . (Use $\pi = 3.14$).
- The dimension of a school playground is $800 \text{ m} \times 500 \text{ m}$. Find the area of the ground.
- Two spheres of same size are made from copper and iron respectively. Find the ratio between their masses. Density of copper $8,900 \text{ kg/m}^3$ and iron $7,800 \text{ kg/m}^3$.
- A liquid having a mass of 250 g fills a space of 1000 cc. Find the density of the liquid.
- A sphere of radius 1cm is made from silver. If the mass of the sphere is 33g, find the density of silver. (Take $\pi = 3.14$).



XIII. Cross word puzzle:



CLUES – ACROSS

1. SI unit of temperature
2. A derived quantity
3. Mass per unit volume
4. Maximum volume of liquid a container can hold

CLUES – DOWN


- a. A derived quantity
- b. SI unit of volume
- c. A liquid denser than iron
- d. A unit of length used to measure very long distances

Ans: [1. Kelvin; 2. Volume; 3. Density; 4. Capacity]

[a. Velocity; b. Cubic metre; c. Mercury; d. Lightyear]

Unit 2

Force and Motion



Learning Objectives

After studying this unit, students will be able

- ❖ To define distance and displacement.
- ❖ To differentiate distance and displacement
- ❖ To define speed, velocity and acceleration.
- ❖ To differentiate speed and velocity
- ❖ To draw and explain distance- time and velocity time graphs.
- ❖ To measure and calculate the speed of the moving objects.
- ❖ To know the day to day uses of centre of gravity and stability.



Introduction




As shown in the above picture, Kavitha can reach her school in two ways. Can you tell, by choosing which path she could reach the school early.

Road A


Road B

Look at the nearby picture



In which path the leaf will reach the ground first?

Uma and Priya are friends studying in the same school. After school hours, they go to the nearby playground, play games and return back home. Oneday Uma told that she would reach the playground after visiting her grandmother's house. The path in which they took reached the playground is shown here.



Take a twine and measure the length of the two paths (A & B). Which is the longest path among the two? _____.

From the above examples, we could conclude that when an object travel from one place to another, it will reach faster if it travels along the straight line path. The straight line path is the shortest distance between two points.

Distance and Displacement

Distance - The total length of a path taken by an object to reach one place from the other is called distance.

Displacement – The shortest distance from the initial to the final position of an object.

Both the distance and displacement posses the same unit. The SI unit is meter (m).





Figure shows the motion of a person between two places A and B.


He travels 10 km in first path. In the second path, he travels 7 km.

The distance between A and B via first path is 10 km. In the second path the distance is 7 km. The shortest distance between the two places is 5 km represented as 2. So the displacement is 5 km. (In east direction)



The path of an object travelling from A to B is shown in figure. Total distance travelled by the object is 120 m. The displacement of the object is 40 m (south-east direction)

The path in which a rabbit ran is shown in figure. Find the distance and displacement of it in the two figures. Let us consider that each square is in an unit of one square meter. The rabbit starts from point A and reaches the point B.




When will the distance and displacement be equal. Explain. But the starting and finishing points should be different.

When we represent the displacement, we use a positive or negative sign depending on the direction with which it travels.



Here we can consider the starting point as A and while the object moves from A to B the displacement is considered to be positive and from B to A it is negative.



Answer the following questions:

- ❖ Subha goes to the nearby playground from her home.
 1. What is the distance she travelled?
 2. What is her displacement?
- ❖ The distance travelled by an object is 15 km and its displacement is 15 km. What do you infer from this?
- ❖ The distance of a person is 30 km and his displacement is 0 km. What do you infer from this?



Nautical mile

Nautical mile is the unit for measuring the distance in the field of aviation and sea transportation. One nautical mile is 1.852 km.

The unit for measuring the speed of aeroplanes and ships is knot. One knot is the speed taken to travel one nautical mile in hour.

2.2 Speed - Velocity

Speed

Recapitulation

In sixth standard we already studied about the speed in detail.

DO YOU KNOW?

$1 \text{ km/h} = 5/18 \text{ m/s}$
 How we got this ?
 $1 \text{ km} = 1000 \text{ m}$
 $1 \text{ h} = 3600 \text{ s}$
 $1 \text{ km} / \text{h} = 1000 \text{ m} / 3600 \text{ s} = 5/18 \text{ m/s}$

Speed is the rate of change of distance .

Speed = distance / time

Unit is metre/second (m/s)

We can classify speed into two types.

Uniform speed

If a body in motion covers equal distances in equal intervals of time, then the body is said to be in uniform speed.

Non- uniform speed

If a body covers unequal distances in equal intervals of time, the body is said to be in non-uniform speed.


Average speed = total distance travelled /
time taken to travel the distance.

Velocity

Velocity is the rate of change in displacement.

Velocity (v) = displacement / time

SI unit of velocity is meter / second (m/s).



If an athlete in the diagram takes 25 s to complete a 200 m sprint event. Find her speed and velocity.

$$\begin{aligned}\text{Speed} &= \text{distance} / \text{time} \\ &= 200 / 25 \\ &= 8 \text{ m/s}\end{aligned}$$

$$\begin{aligned}\text{velocity} &= \text{displacement} / \text{time} \\ &= 50 / 25 \\ &= 2 \text{ m/s}\end{aligned}$$

Uniform velocity

A body has uniform velocity, if it covers equal displacement in the same direction in equal intervals of time. **E.g.** light travels through vacuum.


Non uniform velocity

If either speed or direction changes, the velocity is non uniform. **E.g.** a train starting and moving out of the station.

Average velocity


Average velocity = total displacement /
total time taken

E.g. Figure shows a car that travels 5 km due east and makes a U – turn to travel another 7 km. If the time taken for the whole journey is 0.2 h. Calculate the average velocity of the car.



Average velocity = total displacement/time taken.
(taking the direction due east of point O as positive)

$$\begin{aligned}&= (5 - 7) / 0.2 \\ &= -2 / 0.2 \\ &= -10 \text{ km/h (or)} -10 \times 5/18 = 25/9 \\ &= -0.28 \text{ m/s}\end{aligned}$$



The triangle method can help you to recall the relationship between velocity (v), displacement (d), and time (t).

$$v = d / t, t = d / v, d = v \times t$$

Answer the following questions:

- ❖ Calculate the velocity of a car travelling with a uniform velocity covering 100 m distance in 4 seconds.
- ❖ Usain Bolt covers 100 m distance in 9.58 seconds. Calculate his speed. Who will be the winner if Usain Bolt competes with a Cheetah running at a speed of 30 m/s?
- ❖ You are walking along east covering a distance of 4 m, then 2 m towards south,

then 4 m towards west and at last 2 m towards north. You cover the total distance in 21 seconds, what is your average speed and average velocity?

2.3 Acceleration

Acceleration (a)

Acceleration is the rate of change in velocity. In other words if a body changes its speed or direction then it is said to be accelerated.



$$\text{Acceleration} = \frac{\text{change in velocity}}{\text{time}}$$

$$= \frac{[\text{final velocity (v)} - \text{initial velocity (u)}]}{\text{time (t)}}$$


$$a = (v - u) / t$$

SI unit of acceleration is m/s^2

In other words, the object undergoes acceleration when its speed and/or direction change(s).



(a) Change in speed




(b) Change in direction




(c) Change in both speed and direction

The distance travelled by train	Initial velocity (u) m/s	Final velocity (v) m/s	Change in velocity (v - u) m/s	Time taken (t) s	Acceleration = change in velocity / time $a = (v - u) / t$ m / s ²
A-B	0	6	6	10	0.6
B-C					
C-D					
D-E					
E-F					

The velocity at different times of a train departing direction is given in the figure. Analyse this and complete the table.



Tell me

A car at rest starts to travel in a straight path. It reaches a velocity of 12 m/s in 4 s. What is its acceleration. Assuming that it accelerates uniformly?

Initial velocity $u = 0 \text{ m/s}$ (since the car starts from rest)

Final velocity (v) = 12 m/s

Time taken (t) = 4 s

acceleration (a) = $(v - u) / t$
 $= (12 - 0) / 4$
 $= 3 \text{ m/s}^2$

DO YOU KNOW?

See how brisk I am !

My name is cheetah. I can run at a great speed. Do you know what my speed is? 25 m/s to 30 m/s. My speed changes from 0 to 20 m/s in 2 second. See how good my acceleration is !

Tell me


From the above information, can you calculate the acceleration of the cheetah?

Positive acceleration

If the velocity of an object increases with respect to time, then the object is said to be in positive acceleration or just acceleration.

Negative acceleration or deceleration or retardation

If the velocity of an object decreases with respect to time, then the object is said to be in negative acceleration or deceleration or retardation.



The velocity of a golf ball rolling in a straight line changes from 8 m/s to 2 m/s in 10 s. What is its deceleration, assuming that it is decelerating uniformly?

Initial velocity (u) = 8 m/s

Final velocity (v) = 2 m/s

Time taken(t) = 10 s

Acceleration (a) = $(v - u)/t$
 $= (2 - 8)/10$
 $= -0.6 \text{ m/s}^2$

The deceleration is -0.6 m/s^2

Uniform acceleration

An object undergoes uniform acceleration when the change (increase or decrease) in its velocity for every unit of time is the same.

Table shows a moving bus with uniform acceleration.

Time (s)	1	2	3	4	5
Velocity (m/s)	20+20	40+20	60+20	80+20	100 + 20
	(acceleration)				
	100 - 20	80-20	60-20	40-20	20-20
	(deceleration)				

When the velocity of the object is increasing by 20 m/s the acceleration is 20 m/s^2 . When the velocity of the object is decreasing by 20 m/s the deceleration is 20 m/s^2 .

Non – uniform acceleration

An object undergoes non uniform acceleration if the change in its velocity for every unit of time is not the same.

Time (s)	0	1	2	3	4	5
Velocity (m/s)	0	10	40	60	70	50
Change in Velocity (m/s)	0	10	30	20	10	20

Note that the change in velocity is not the same for every second. The moving object is undergoing non uniform acceleration.

2.4 Distance – Time Graphs


Starting point



Figure shows a car travelling along a straight line away from the starting point O. The distance of the car is measured for every second. The distance and time are recorded and a graph is plotted using the data. The results for four possible journeys are shown below.

(a) Car at rest


Time (s)	0	1	2	3	4	5
Distance (m)	0	20	20	20	20	20



The graph has zero gradient. The distance is a constant for every second.

(b) Car travelling at uniform speed of 10 m s^{-1}


Time (s)	0	1	2	3	4	5
Distance (m)	0	10	20	30	40	50



The graph has a zero constant gradient. The distance increases 10 m every second.

(C) Car travelling at increasing speed

Time (s)	0	1	2	3	4	5
Distance (m)	0	5	20	45	80	125




The graph has an increasing gradient. The speed increases

The instantaneous speed of the car at $t = 3 \text{ s}$ is given by the gradient of the tangent at the point.

(D) Car travelling at decreasing speed

Time (s)	0	1	2	3	4	5
Distance (m)	0	45	80	105	120	125



The graph has a decreasing gradient. The speed decreases


2.5 Speed – time graphs

Let us consider a bus travelling from Thanjavur to Trichy. The speed of the bus is measured for every second. The speed and time are recorded and a graph is plotted using the data. The results for four possible journeys are shown.



2. Bus travelling at uniform speed of m/s


Time (s)	0	1	2	3	4	5
Speed (m s^{-1})	10	10	10	10	10	10



The speed remains at 10 m s^{-1} , so the car has zero acceleration.

3. Bus travelling with uniform acceleration


Time (s)	0	1	2	3	4	5
Speed (m s^{-1})	10	10	20	30	40	50



The speed of the car increases by 10 m s^{-1} , every second. Hence, the graph has a positive and constant gradient, and the acceleration is constant.

4. Bus travelling with uniform deceleration


Time (s)	0	1	2	3	4	5
Speed (m s^{-1})	50	40	30	20	10	0



The speed of the car decreases by 10 m s^{-1} , every second. Hence, the graph has a negative and constant gradient, and the acceleration is constant.

1. Bus at rest


Time (s)	0	1	2	3	4	5
Speed (m s^{-1})	0	0	0	0	0	0



The speed remains at 0 m s^{-1} , so the car has zero acceleration.

5. Bus travelling with increasing acceleration (non-uniform acceleration)

Time (s)	0	1	2	3	4	5
Speed (m s^{-1})	0	2	8	18	32	50




The increase in speed is increasing with time. Hence, the graph has a positive and increasing gradient, and the acceleration increases.

The instantaneous acceleration of the car at $t = 3 \text{ s}$ is given by the gradient of the tangent at the point.

6. Bus travelling with decreasing acceleration (non-uniform acceleration)

Time (s)	0	1	2	3	4	5
Speed (m s^{-1})	0	18	32	42	48	50



The increase in speed is decreasing with time. Hence, the graph has a positive and decreasing gradient and the acceleration decreases.


Comparisons between distance – time and speed – time graphs

Speed – time graphs and Distance – time graphs look very similar, but they give different information. We can differentiate them by looking at the labels.


From A to B	From B to C	From C to D
Car accelerates uniformly from rest.	Car moves at constant speed.	Car decelerates uniformly to a stop.

The y-axis indicates distance. Thus, this is a distance–time graph.


Distance–time graph




Graph and Story




Draw a graph for the given story.



Imagine and write a story on your own for the given graph?



only one point which the cardboard is balanced. The point which the cardboard is balanced is called the centre of gravity of the cardboard.



Total pull of the earth (weight) appears to act through the centre of gravity

Centre of gravity: The centre of gravity of an object is the point through which the entire weight of the object appears to act.


How to we find the centre of gravity of a object ?

2.6 Centre of Gravity and Stability

Centre of gravity

Try to balance a cardboard on your figure tip. What do we observe. We observe there is

Centre of gravity for Regular – shaped objects



Generally the centre of gravity of the geometrical shaped object lie on the geometric centre of the object.

Examples of centre of gravity for Regular-shaped objects. 1. Weight of Card, 2. Weight of Triangle, 3. Weight of Disc, 4. Weight of Ring.


What about irregular shaped objects ?

Apparatus : Irregularly shaped card, string, pendulum bob, stand

1. Make three holes in the lamina.
2. Suspend the lamina from the optical pin through one of the holes as shown.
3. Suspend the plumbline from the pin and mark the position of the plumbline on the lamina.
4. Draw lines on the lamina representing the positions of the plumbline.
5. Repeat the above steps for the holes.
6. Label the intersection of the three lines as X, the position of the centre of gravity of the lamina.

Meter Rule

The ruler is in equilibrium when supported at its centre of gravity.



For a regular object such as a uniform meter rule, the centre of gravity is at the centre of the object. When the object is supported at that point, it will be balanced. If it is supported at any other point, it will topple.

2.7 Stability


Stability is a measure of the body's ability to maintain its original position.

The three types of stability are

- (a) Stable equilibrium
- (b) Unstable equilibrium
- (c) Neutral equilibrium

Stable Equilibrium

The frustum can be tilted through quite a big angle without toppling.




Its centre of gravity is raised when it is displaced.

The vertical line through its centre of gravity still falls within its base.


So it can return to its original position.

Unstable Equilibrium

The frustum will topple with the slightest tilting. Its centre of gravity is lowered when it is displaced.



The vertical line through its centre of gravity falls outside its base.



Neutral Equilibrium

- (d) It causes frustum to topple.
- (e) The frustum will rolls about but does not topple.
- (f) Its centre of gravity remains at the same height when it is displaced.
- (g) The body will stay in any position to which it has been displaced.

Condition for Stability

To make a body more stable

- ❖ Lower its centre of gravity
- ❖ Increase the area of its base
- ❖ This box is at the point of tipping over
- ❖ A heavy base lowers at the centre of gravity
So the box does not tip over
- ❖ A brode base makes the box more difficult to tip over

The Thanjavur Doll

It is s type of traditional Indian toy made of terracotta material. The centre of gravity and the total weight of the doll is concentrated at its bottom most point, generating a dance-like continuous movement with slow oscillations.



Real Life Applications of Centre of Gravity

It is for the reasons of stability that the luggage compartment of a tour bus is located at the bottom and not on the roof. Extra passengers are not allowed on the upper deck of a crowded double decker bus. Racing cars are built low and broad for stability. Table lamps and fans are designed with large heavy bases to make them stable.

2.8 Science Today

Typical Speeds

Tortoise	0.1 m/s
Person walking	1.4 m / s
Falling raindrop	9-10 m / s
Cat running	14 m/s
Cycling	20-25 km/h
Cheetah running	31 m/s
Bowling speed of fast bowlers	90-100 miles /h
Badminton smash	80-90 m/s
Passenger jet	180 m/s

Points to Remember


- ❖ **Distance** - The path taken by an object to reach one place from the other is called distance.
- ❖ **Displacement** - The straight line path between two points is called displacement
- ❖ **Velocity** is the rate of change in displacement. SI unit of velocity is meter / second (m/s).
- ❖ **Acceleration** is the rate of change in velocity. SI unit of acceleration is m/s^2
- ❖ **Centre of gravity** : The centre of gravity of an object is the point through which the entire weight of the object appears to act.
- ❖ Generally the centre of gravity of the geometrical shaped object lie on the geometric centre of the object.
- ❖ **Stability** is a measure of the body's ability to maintain its original position.
- ❖ The three types of stability are : 1. Stable equilibrium 2. Unstable equilibrium 3. Neutral equilibrium.



Evaluation


I. Choose the best answer.

1. A particle is moving in a circular path of radius r . The displacement after half a circle would be
 - a. Zero
 - b. R
 - c. $2r$
 - d. $r/2$
2. From the given v-t graph it can be inferred that the object is



- a. in uniform motion
- b. at rest
- c. in non uniform motion
- d. moving with uniform acceleration

3. Which of the following figures represent uniform motion of a moving object correctly?



4. Suppose a boy is enjoying a ride on a merry go round which is moving with a constant speed of 10 m/s. It implies that the boy is
 - a. at rest
 - b. moving with no acceleration
 - c. in accelerated motion
 - d. moving with uniform velocity
5. What is one way you might increase the stability of an object?
 - a. lower the centre of gravity
 - b. raise the centre of gravity
 - c. increase the height of the object
 - d. shorten the base of the object

II. Fill in the blanks.

1. The shortest distance between the two places is _____.
2. The rate of change of velocity is _____.
3. If the velocity of an object increases with respect to time, then the object is said to be in _____ acceleration.
4. The slope of the speed-time graph gives _____.

5. In _____ equilibrium its centre of gravity remains at the same height when it is displaced.

III. Match the following:

Displacement	Knot
Light travels through vacuum	Geometric centre
Speed of ship	Metre
Centre of gravity of the geometrical shaped object	Larger base area
Stability	Uniform velocity

IV. Analogy

- velocity : metre/ second :: acceleration : _____ .
- length of scale : metre :: speed of aeroplane : _____ .
- displacement / time : velocity :: speed / time : _____ .

V. Give very short answer.

- All objects having uniform speed need not have uniform velocity. Describe with the help of examples.
- "She moves at a constant speed in a constant direction". Rephrase the same sentence in fewer words using concepts related to motion.
- Correct your friend who says "The acceleration gives the idea of how fast the position changes".

IX. Fill in the boxes.

S.No.	First Move	Seconde Move	Distance (m)	Displacement
1.	Move 4 meters east	Move 2 meters west	6	2 m east
2.	Move 4 meters north	Move 2 meters south		
3.	Move 2 meters east	Move 4 meters west		
4.	Move 5 meters east	Move 5 meters west		
5.	Move 5 meters south	Move 2 meters north		
6.	Move 10 meters west	Move 3 meters east		

VI. Give short answer.

- Show the shape of the distance – time graph for the motion in the following cases.
 - A bus moving with a constant speed.
 - A car parked on a road side.
- Distinguish between speed and velocity.
- What do you mean by constant acceleration?
- What is centre of gravity ?

VII. Answer in detail.

- Explain the types of stability with suitable examples.
- Write about the experiment to find the centre of gravity of the irregularly shaped plate.


VIII. Numerical problems.

- Geetha takes 15 minutes from her house to reach her school on a bicycle. If the bicycle has a speed of 2 m/s, calculate the distance between her house and the school.
- A car started from rest and travelling with velocity of 20 m /s in 10 s. What is its acceleration?
- A bus can accelerate with an acceleration $1 \text{ m} / \text{s}^2$. Find the minimum time for the bus to reach the speed of 100 km / s from 50 km / s.


Unit 3

Matter Around Us


Elements, Compounds and Mixtures




**An Elements
(Hydrogen)**



**A Compound
(Water)**



**A Mixture
(Hydeogen & Oxygen)**



**A Mixture
(Hydeogen & Oxygen)**

Learning Objectives

- ❖ To understand molecules of elements and compounds
- ❖ To recognize the symbols of common elements
- ❖ Able to calculate atomicity of commonly used elements
- ❖ To recognize the occurrences of elements and compounds in nature and human body / air
- ❖ To understand the effects of temperature on solid, liquid and gas



Recap



We knew that everything we see around, that occupy space and have mass, is called matter. Heat, light and sound occupies space, but does not have mass. Hence these are not matter. Do you know what is matter is composed of? We studied earlier that matter is composed of tiny little particles, which cannot be seen with naked eye. Let us understand what these particles are?


3.1 Atoms

The graphite refill used in pencil is made up of element called Carbon. We can break the graphite into smaller and smaller pieces. In fact, if we have an even finer knife, we can break it even smaller. If keep cutting the minuscule graphite into smaller and smaller particle, we will reach a point where we reach smallest constituent of graphite- carbon atom. If we break that carbon atom apart, then it will no longer exhibit the properties of carbon.

The smallest unit of an element that exhibits the properties of the element is called as 'atom'. All the matter is composed of tiny particles

called atom. Water , rice , in short everything we see around is made up of atoms.


An atom is the basic unit of a matter.



Structure of an atom

Even with the best of optical microscope we cannot see atoms. However there are advanced instruments that help us to image the atoms on the surface of a material.

For example the following figure shows an image of the surface of silicon.



An image of the surface of Silicon




The most abundant type of atom in the universe is the hydrogen atom. Nearly 74% of the atoms in the universe are hydrogen atoms. However on Earth the three most abundant atom are iron, oxygen, and silicon.

3.2 Molecules

When an atom combines with another atom (or atoms) and forms a compound it is called as molecule. A molecule is made up of two or more atoms chemically combined.





- Oxygen gas in the air that we breathe is made up of two oxygen atoms chemically combined.



- Ozone is a substance that is made up of three oxygen atoms chemically combined.



An atom of oxygen (O) and two atoms of hydrogen (H₂) combine to form a molecule of water (H₂O).



Formation of water molecule

Molecules also exhibit properties of matter and have individual existence. A molecule can be formed by the same or different kinds of atoms.

Molecules can be classified as follow :

- A molecule which contains only one atom is called monatomic molecule (inert gases)
- A molecule which contains two atoms is called diatomic molecule (oxygen, nitric oxide, hydrogen, etc.)
- A molecule containing three atoms is called a triatomic molecule (ozone, sulphur dioxide, carbon dioxide, etc.)
- A molecule containing more than 3 atoms are known as polyatomic molecule (phosphate, sulphur, etc.)







Molecules of Elements

A molecule of an element consists of a fixed number of one types of atom chemically combined.


The table below shows gases that are made up of two atoms of the same type of element.

Molecules of Compounds

Molecule of a compound consists of a fixed number of different types of atoms chemically combined.

Molecule	Chlorine Gas	Oxygen Gas	Nitrogen Gas
Molecule Diagram			
Molecule Model (Ball-and-Stick)			
	Chlorine Molecule	Oxygen Molecule	Nitrogen Molecule

For example, let us look at the model of a water molecule below:



Model of molecular water







Each molecule of water consists of one oxygen atom and two hydrogen atoms. This ratio of oxygen and hydrogen atom remains fixed whether water is in liquid, solid or gaseous state. This principle applies to the molecules of all compounds.



Bismuth in diarrhea medicine

Bismuth is an element that occurs naturally. It is combined with other elements to make medicine for treating diarrhea.


Molecules of some compounds

Molecule	Carbon-di-oxide	Ammonia	Hydrogen Chloride
Molecule Diagram			
Molecule Model (Ball-and-Stick)			
	Carbon-di-Oxide Molecule	Ammonia Molecule	Hydrogen Chloride

Configuration of Matter


ATOM

Smallest particle of an Element



MOLECULE

Molecules are made up of atoms



ELEMENT


Chemically simplest substance cannot be broken down




Iron ore

COMPOUND

Two or more elements are chemically bonded together




An Element
(Hydrogen)



A Compound
(Water)


CHEMICAL FORMULA

Tells the number of atoms of element in a compound



CHEMICAL SYMBOL

Short representing of chemical element



Classification of Matter

Matter is classified into two broad categories, namely, pure substances and mixtures. Pure substances are further divided into categories as elements and compounds.



3.3 Elements

Matter in its simplest form is called an element. We are using many elements in our daily life. The common salt is consisting of elements of Sodium and Chlorine. Water consists of Hydrogen and Oxygen. Magnesium and Phosphorus used for making crackers. Sulphur is used as manure in agriculture. Gallium is used for making mobile phones and silicon is used for making computer chips.

There are 118 known elements till date. 94 of these elements occur naturally while 24 elements have been created artificially in the laboratory.

Classification of Elements

We can classify the elements broadly into

metals, non-metals and metalloids based upon their chemical properties.



The Robert Boyle is the first scientist used the term element. An early proponent of the elemental nature of matter and the nature of vacuum. He was known best for Boyle's Law.



Metals

We have tools, utensils and jewelry made from silver, copper, iron, gold, Aluminum. Using pressure like hammering or rolling we can deform these materials into various shapes. Such elements that are malleable (a material may be flattened into thin sheets or various shapes) is called as metals.

Metals are generally hard and shiny elements. Sodium is one of the exceptions as it is soft. All metals, except mercury are solids at




Copper



Lead




Iron



Nickel



Steel



Zinc

room temperature. Mercury is the only metal that is liquid at room temperature. Metals are malleable, can be bent or beaten into sheets. They can be drawn into wires. They are good conductors of heat and electricity. Copper, Lead, tin, nickel, iron, zinc, gold, magnesium and calcium are examples of metals.


Non-Metals

Non-metals are generally dull and soft. However, diamond is shiny and also the


hardest natural substance on earth. Non-metals can be gases, solids, liquids. Non-metals such as oxygen, hydrogen and chlorine are gases at room temperature. Non-metals such as carbon, iodine, sulphur and phosphorus are solids at room temperature. Bromine is the only non-metal that is liquid at room temperature. Non-metals are poor conductors of heat and electricity. However, graphite (a form of the non-metal carbon) is a good conductor of electricity.



Carbon



Phosphorus



Sulfur

The difference between metals and non-metals

Metals	Non-Metals
Metals are lustrous. They have a shiny surface	Non-metals are non-lustrous. They have non-shiny surface
Metals are generally hard	Non-metals are generally soft
Most metals are bendable	Non-metals are non-bendable
Most metals can be bent, beaten into sheets and they can be drawn into wires	Non-metals are non-ductile
Most metals are good conductors of electricity	Non-metals are bad conductors of electricity
Most metals are good conductors of heat	Non-metals are bad conductors of heat
Most metals make a ringing sound when struck. Hence, they are used to make objects like bells	Non-metals do not make any sound when struck

Metalloids

Metalloids exhibit the properties of both metals and non-metals. Silicon, arsenic, antimony, and boron are some examples of metalloids.

3.4 Compounds

A compound is a pure substance that is formed when the atoms of two or more elements combine chemically in definite proportions.



Boron (B)



Silicon (Si)



Germanium (Ge)



Arsenic (As)



Antimony (Sb)




Tellurium (Te)

Compounds exhibit properties entirely different from the properties of their constituent elements. For example, the atoms of the elements hydrogen and oxygen combine chemically in a fixed ratio to form the compound water. However, water does not have the exact same properties as hydrogen and oxygen. For example, at room temperature water exist as


liquid while hydrogen and oxygen exist as gases. Also, oxygen supports fire whereas water is used as a fire extinguisher.

Similarly, common salt (sodium chloride) is a compound made up of elements sodium and chlorine. It is used in our food, whereas sodium and chlorine are poison, are both unsafe for consumption.




Sodium is a highly reactive solid at room temperature . It burns vigorously when in contact with water

+



Chlorine is yellowish green poisonous gas at room


→



Sodium Chloride
(Used for cooking)


Elements in the compound:

Table Salt




Sodium and Chlorine

Sugar



Carbon, Hydrogen and Oxygen

Chalk



Calcium, Carbon and Oxygen

ACTIVITY 1

Complete the following table by writing compounds of its constituents

Compound	Constituent Elements
Water	
Salt (Sodium chloride)	
Sodium carbonate	
Baking soda (sodium bicarbonate)	
Sugar	
Calcium oxide	
Calcium hydroxide	
Sodium hydroxide	
Potassium hydroxide	

Properties of Compounds

- ❖ A compound is formed only when the constituent elements combine in a fixed proportion.
- ❖ The properties of a compound are different from those of its constituent elements
- ❖ A compound cannot be broken down by physical methods. This is because a

compound is made up of different elements that are chemically combined. Sodium chloride cannot be separated by physical methods such as filtration.

- ❖ A compound can be separated into its constituent elements by chemical methods only.

Difference between an element and a compound

Elements	Compounds
An element is the simplest substance	A compound is a chemical substance formed by the combination of two or more elements
Elements combine to form compounds	Compounds can be split into elements
Atoms are the fundamental particle of an element	Molecules are the fundamental particles of a compound

ACTIVITY 2

Complete the following table by counting the number of different elements in a compounds and give appropriate name.

Formula	No. of different elements	Name of Elements
H ₂ O		
NaCl		
C ₆ H ₁₂ O ₆		
NaOH		

Symbol of an element

A symbol is an abbreviation or short representation of a chemical element. There is a unique symbol for each element. It represents one atom of the element. The symbol is usually derived from the name of the element, which is either in English or Latin. These symbols are allocated by the International Union of Pure and Applied Chemistry (IUPAC).



Dalton was the first scientist to use the symbols for elements in a very specific sense. When he used a symbol for an element he also meant a definite quantity of that element, that is, one atom of that element. Berzelius suggested that the symbols of elements be made from one or two letters of the name of the element.

Symbols for some elements as proposed by Dalton

	Hydrogen		Carbon		Oxygen
	Phosphorus		Sulphur		Iron
	Copper		Lead		Silver
	Gold		Platinum		Mercury

The following rules are followed while assigning symbol to an elements:

- ❖ Chemical symbols usually consist of one or two letters
- ❖ The symbols of most elements correspond to the first letter (which is capitalized) of their English name. For example, the symbol for oxygen is "O" and that for hydrogen is "H".

Elements represented by single letter symbols

Element	Symbol	Element	Symbol
Hydrogen	H	Phosphorus	P
Fluorine	F	Sulphur	S
Oxygen	O	Potassium	K
Carbon	C	Uranium	U

When there is more than one element that begins with the same letter, their symbols take two letters. **The first letter is capitalised while the second letter has a lower case.** For example, the names of both hydrogen and helium begin with H. So, hydrogen is represented by the symbol H and Helium by He. Similarly, the symbol for carbon is C while the symbols for calcium, chlorine and chromium are Ca, Cl and Cr, respectively.

Elements represented by symbols of two letters

Element	Symbol	Element	Symbol
Aluminium	Al	Chromium	Cr
Argon	Ar	Cobalt	Co
Arsenic	As	Helium	He
Barium	Ba	Magnesium	Mg
Nickel	Ni	Calcium	Ca
Bromine	Br	Chlorine	Cl

The symbols for some elements are derived from their Latin names. For example, the symbol for gold is Au after its Latin name Aurum. Similarly, the symbols for copper is Cu after its Latin name Cuprum.

Element	Latin Name	Symbol
Copper	Cuprum	Cu
Lead	Plumbum	Pb
Potassium	Kalium	K
Iron	Ferrum	Fe
Mercury	Hydrargyrum	Hg
Sodium	Natrium	Na

ACTIVITY 3

Write down the symbols of the following elements

Elements	Symbol	Elements	Symbol
Gold		Aluminium	
Silver		Calcium	
Copper		Phosphorus	
Iron		Magnesium	
Nitrogen		Potassium	
Oxygen		Sodium	



In the beginning, the names of elements were derived from the name of the place where they were found for the first time. For example, the name copper was taken from Cyprus. Some names were taken from specific colours. For example, gold was taken from the English word meaning yellow. Now-a-days, IUPAC approves names of elements. Many of the symbols are the first one or two letters of the element's name in English. The first letter of a symbol is always written as a capital letter (uppercase) and the second letter as a small letter (lowercase).

Chemical Formulae

Often we hear that water is H_2O . This is the chemical formula for water molecule. This means that each molecule of water has two hydrogen atoms combined with one oxygen atom. A chemical formula is a symbolic representation of one molecule of an element or a compound. It provides information about the elements present in the molecule and the number of atoms of each element. Can you guess the types of atoms and number of each of the atoms in NaCl , which is the chemical formula for cooking salt?

The chemical formula tells us the types of atoms and the number of each type of atom in one molecule of substance

Water
 H_2O

The small number beside the H symbol is called subscript. It tells us the number of atoms that element present in the molecule. Hence, there are 2 hydrogen atoms in water molecule.

When there is no number of besides O symbol, it means that there is only one atom of that element present in the molecule. Hence, there us 1 oxygen atom in an water molecule.

Here are some examples of chemical formula

Sodium Chloride



1 atom of Sodium and 1 atom of chlorine

Ammonia



1atom of Nitrogen and 3 atoms of Hydrogen

Glucose



6 carbon atoms, 12 Hydrogen atoms 6 oxygen atoms


Common compounds and their chemical formula

Examples of Compounds	
Examples of Formulas for compounds	Examples of names of common compounds
H_2O	Water
$\text{C}_6\text{H}_{12}\text{O}_6$	Glucose
NaCl	Salt (Sodium Chloride)
$\text{C}_2\text{H}_6\text{O}$	Ethanol
NH_3	Ammonia
H_2SO_4	Sulphuric Acid
CH_4	Methane
$\text{C}_{12}\text{H}_{22}\text{O}_{11}$	Sucrose

Atomicity

In chemistry we usually understand atomicity to imply the total number of atoms present in one molecule of an element, compound or a substance.

Let us see how to calculate the atomicity of elements. For example, Oxygen exists as a diatomic molecule which means that a molecule of oxygen contains two atoms hence its atomicity is 2.



Similarly a phosphorus (P_4) molecule contains 4 atoms; a sulphur (S_8) molecule contains 8 sulphur atoms. Hence their atomicity is 4 and 8 respectively.

For molecule containing more than one types of atoms, simply count the number of each atom and that would be its atomicity. For example, a molecule of sulphuric acid (H_2SO_4) consists of 2 hydrogen atom, 1 sulphur atom and 4 oxygen atoms. Hence its atomicity is $2+1+4=7$.

One molecule of water (H_2O) contains two atoms of hydrogen and one atom of oxygen, the atomicity of water is three.

Atomicity of some elements

Element	Atomicity	Elements	Atomicity
H	2	F	2
He	1	Ne	1
Li	1	Na	1
N	2	P	4
O	2	S	8

Elements in human Body

Nearly 99% of the mass of our human body consists of just 6 chemical elements: oxygen, carbon, hydrogen, nitrogen, calcium, and

phosphorus. Another 5 elements make up most of the least percentage point: potassium, sulphur, sodium, chlorine, and magnesium.

ACTIVITY 4

Write down atomicity of the following elements and compounds

Elements	Atomicity
Cl	
Na	
K	
Ca	
Compounds	
H_2O	
NaCl	


Elements in air

Air is a mixture of gases. The molecules of two different elements, nitrogen and oxygen, make up about 99% of the air. The rest includes small amounts of argon and carbon dioxide. (Other gases such as neon, helium, and methane are present in trace amounts.) Oxygen is the life-giving element in the air.

Effect of temperature on Solid, Liquid and Gas

What happens to matter during heating?

The following are models of particles in solids during heating. These models can be modified to represent heating in Solids, Liquids and Gas.



When solid is heated, the particles gain energy and vibrate vigorously. The particles move slightly further apart from one another.

This causes the volume of matter to increase. This process is called expansion. How it happens? The matter begun to expand when heated. The volume increases due to the greater distance between the particles. But the size of the particles remains in same size.




How do hot-air balloons float? When air inside the hot air balloon is heated with a burner, it expands.

The expansion causes the density of the air inside the balloon to decrease. Hence, the air inside the balloon has a lower density than the air outside of the balloon. This difference in density allows the hot-air balloon to float.




During heating or expansion, the mass of matter does not change. This is explained in the following way. During heating, the distance between the particles of the iron locks change. Mass is conserved when matter expands.

Although the volume of the matter changes, the size and number of the particles of matter do not change. Hence, during heating, the mass of a matter is conserved. For example, in an iron lock the distance between the iron particles increases when they gain enough heat. However, the number of iron particles does not change. Hence the mass of the iron lock is conserved.



The melting of ice is an example of a change in the states of matter. The change in the states of matter occurs during melting, boiling and freezing and condensation.

When the particles possess enough energy, they overcome the strong forces of attraction between one another. The particles break free from one another and move randomly. For example, when solid ice is heated to 0°C , it melts to become liquid water. In the same way, liquid water is heated to 100°C , it boils to become steam.



1. Solid

When solid is heated, the particles gain energy and vibrate more vigorously

2. Liquid

Melting occurs when the melting point is reached. The solid changes to its liquid state.

When a liquid is heated the particles gain energy and vibrate more vigorously

3. Gas

Boiling occurs when the boiling point is reached. The liquid changes to its gaseous State.

Points to remember

- ❖ An atom is the smallest particle of an element
- ❖ Elements are the simplest forms of pure substances
- ❖ Molecules of an element consist of a fixed number of one type of atom
- ❖ Molecules of a compound consist of a fixed number of different types of atom
- ❖ The molecules of the different elements nitrogen and oxygen make up 99 percent of the air
- ❖ The particulate nature of matter can be used to explain heating effect of Solid, Liquid and Gas
- ❖ The mass of the matter remains same during expansion
- ❖ A molecule is made up of two or more atoms chemically combined
- ❖ We can represent a molecule using the chemical formula.



Evaluation

I. Choose the appropriate answer.

1. Which of the following is an example of a metal?
 - a. Iron
 - b. Oxygen
 - c. Helium
 - d. Water
2. Oxygen, hydrogen, and sulphur are examples of which of the following?
 - a. Metals
 - b. Non-metals
 - c. Metalloids
 - d. Inert gases
3. Which of the following is a short and scientific way of representing one molecule of an element or compound?



- a. Mathematical formula
- b. Chemical formula
- c. Mathematical symbol
- d. Chemical symbol
4. The metal which is a liquid at room temperature
 - a. Chlorine
 - b. Sulphur
 - c. Mercury
 - d. Silver
5. An element which is always lustrous, malleable and ductile
 - a. non-metal
 - b. metal
 - c. metalloid
 - d. gas

II. Fill in the blanks.

1. The smallest particle of matter that can exist by itself _____.
2. A compound containing one atom of carbon and two atoms of oxygen is _____.
3. _____ is the only non-metal conducts electricity.
4. Elements are made up of _____ kinds of atoms.
5. _____ of some elements are derived from Latin or Greek names of the elements.
6. There are _____ number of known elements.
7. Elements are the _____ form of pure substances.
8. The first letter of an element always written in _____ letter
9. Molecule containing more than three atoms are known as _____.
10. _____ is the most abundant gas in the atmosphere.

III. Fill in the Blanks.

1. Mercury: liquid at room temperature::
Oxygen: _____.


2. Non metal conducting electricity:
_____:: Metal conducting electricity: Copper
3. Elements: combine to form compounds::Compounds:_____.
4. Atoms: fundamental particle of an element::
_____: fundamental particles of a compound.

IV. True or False. If False, give the correct statement.

1. Two different elements may have similar atoms.
2. Compounds and elements are pure substance.
3. Atoms cannot exist alone; they can only exist as groups called molecules.
4. NaCl represents one molecule of sodium chloride.
5. Argon is mono atomic gas.

V. Answer in brief.

1. Write the chemical formula and name the elements present in the following compounds:
 - a. Sodium chloride
 - b. Potassium hydroxide
 - c. Carbon-di-oxide
 - d. Calcium oxide
 - e. Sulphur dioxide
2. Classify the following molecules as the molecules of element or compound



3. What do you understand by chemical formula of a compound? What is its significance?
4. Define the following terms with an example of each:
 - a. Element
 - b. Compound

- c. Metal
- d. Non-metal
- e. Metalloid

5. Write the symbols for the following elements and classify them as solid, liquid and gas
Aluminum, carbon, chlorine, mercury, hydrogen and helium
6. Classify the following as metals, non-metals and metalloids
Sodium, Bismuth, Silver, Nitrogen, Silicon, carbon, chlorine, Iron, copper
7. Classify the following as elements and compounds
Water, common salt, sugar, carbon dioxide, iodine and lithium
8. Write the chemical formula for the following elements
 - a. Hydrogen
 - b. Nitrogen
 - c. Ozone
 - d. Sulphur
9. What are elements? What are they made of? Give two examples.
10. Define molecule.
11. What are compounds? Give two examples.
12. Give an example for the elements derived from their Latin names.
13. What is atomicity of elements?
14. Calculate the atomicity of H_2SO_4 .

VI. Answer in detail.

1. Differentiate metals and non metals.
2. Explain the characteristics of compounds
3. Describe the different ways in which we can write the symbols of elements. Give appropriate examples.
4. Differentiate between elements and compounds.
5. Write any five characteristics of compound.

- List comparative properties of metals and non-metals. Give three examples of each.
- Write down the properties of metalloids.

VII. Rewrite the sentence in correct form

- Elements contains two or more kinds of atoms and compounds contains only one kinds of atoms.

VIII. Higher Order Thinking questions

- Lists the metals, non-metals and metalloids which you used in your house, schools. Compare their properties.
- Aakash noticed that the metal latch on gate was difficult to open during hot sunny days. However, this same latch was not difficult to open at night. Aakash observed that the latch and the gate are exposed to the sun during the day.
 - Formulate a hypothesis based on the information provided.
 - Briefly state how you would test the hypothesis stated in (a).

- What changes take place in the movement and arrangement of particles during heating process?
- In the diagram below, the circle, square and triangle represent the atoms of different elements.



- In the diagram above, identify all combinations that represent
 - A molecule of a compound
 - A molecule of an element consisting of two atoms
 - A molecule of an element consisting of three atoms

IX. Assertion-reason questions

Directions: Please refer to the following instructions:

1 st Statement	2 nd Statement
Oxygen is a compound	Oxygen cannot be broken down into anything simpler
Hydrogen is an element	Hydrogen cannot be broken down into anything simpler
Air is a compound	Air consists of carbon dioxide
Air is a mixture of elements only	Only nitrogen, oxygen and neon gases exist in air
Mercury is solid in room temperature	Mercury is a non-metal

- Both statements are true and the 2nd statement is a correct explanation of the 1st statement.
- Both statements are true but the 2nd statement is NOT a correct explanation of the 1st statement.
- The 1st statement is false while the 2nd statement is true.
- Both statements are false.



ICT CORNER

Matter around us

Let's build the molecules.



PROCEDURE :


- Step 1:** Use the URL to reach stimulation page. Click 'Download' and launch the stimulation.
- Step 2:** Drag the atoms from the kit which is at the bottom of the display to 'make molecule'. Click on "3D" to see the molecule in 3 dimension. And drag that molecule to 'Your molecule collection' on the left side window.
- Step 3:** Click on the 'collect multiple' tab on the top of the window for more molecules.
- Step 4:** Click on the 'Larger molecules' tab to make larger molecules.




Step 1



Step 2



Step 3



Step 4

Matter around us URL:

<https://phet.colorado.edu/en/simulation/build-a-molecule>

*Pictures are indicative only


*If browser requires, allow Flash Player or Java Script to load the page.



B351_7_SCI_EM

Unit 4

Atomic Structure



Learning Objectives

- ❖ To know the structure of an atom.
- ❖ To know the position of the subatomic particle, understand and compare the properties of subatomic particles.
- ❖ To understand the term atomic number and mass number.
- ❖ To calculate the number of protons, electrons and neutrons in an atom from the symbols in the periodic table.
- ❖ To understand the term valency



Introduction

In the last chapter we have studied anything around us is matter and is made up of molecules. The molecules are combination of atoms of different elements or the same element.

ACTIVITY 1

Some known objects are shown, also the broken particles of the objects are shown.

1. Name the articles or objects you see here? Also try to write What each of it made of?

1. -----



2. -----



3. -----

4. -----



Hey friends! I am atom. I am the smallest particle.

Table, chair, bag, book, chalk and blackboard, in short everything you see around are made up of atoms. I cannot be seen through a microscope. Molecule can be cut or divided into atoms that makes it up.



Hey friends! I am molecule.
I am made up of two or more atoms.

Do you guys know how small I am? When compared with the things you see daily you all will get a better idea.



4.1 How small is an atom?

An atom is one and thousand times smaller than the thickest human hair. It has an average diameter of 0.0000000001m or $1 \times 10^{-9}\text{m}$ or 1\AA . To understand atom's size with the familiar things we know, now let us find what is the size of pencil, red blood cell, virus and dust particle.

$$\begin{array}{lll} 1 \times 10^{-2} \text{ (m)} & 1 \times 10^{-4} \text{ (m)} & 1 \times 10^{-6} \text{ (m)} \\ 1 \times 10^{-7} \text{ (m)} & 1 \times 10^{-10} \text{ (m)} & \end{array}$$

Now you could imagine how small an atom would be.

4.2 Evolution of idea of an atom

Many scientists have studied the structure of the atom and advanced their theories about it. The theories proposed by Dalton, Thomson and Rutherford are given below.

Dalton's atomic theory

John Dalton proposed the atomic theory in the year 1808. He proposed that matter

consists of very small particles which he named atoms. An atom is smallest indivisible particle, it is spherical in shape. His theory does not propose anything about the positive and negative charges of an atom.



John Dalton


Hence, it was not able to explain many of the properties of substances.




Nanometer is the smallest unit used to measure small lengths. One metre is equal to 1×10^9 nm or one nanometer is equal to 1×10^{-9} m



Pencil 1×10^{-2} (m)




Red Blood Cell 1×10^{-4} (m)




Virus 1×10^{-6} (m)



Dust Particle 1×10^{-7} (m)



Atom 1×10^{-10} (m)



Thomson's theory



J.J. Thomson

In 1897 J.J. Thomson proposed a different theory. He compared an atom to a watermelon.

His theory proposed that the atom has positively charged part like the red part of the watermelon and in it are embedded, like the seeds, negatively charged particles which he called electrons. According to this theory as the positive and negative charges are equal, the atom as a whole does not have any resultant charge.

Thomson's greatest contribution was to prove by experimentation the existence of the negatively charged particles or electrons in an atom. For this discovery, he was awarded the Nobel Prize in 1906. Although this theory explained why an atom is neutral, it was an incomplete theory in other ways.

Rutherford's theory

There were shortcomings in Thomson's theory. Ernest Rutherford gave a better understanding. Ernest Rutherford conducted an experiment. He bombarded a very thin layer of gold with positively charged alpha rays. He found that most of these rays which travel at a great velocity passed through the gold sheet without encountering any obstacles. A few are, however, turned back from the sheet.






Rutherford


Rutherford considered this remarkable and miraculous as if a bullet had turned back after colliding with tissue paper.

Based on this experiment, Rutherford proposed his famous theory. In his opinion, – 1. The fact that most alpha particles pass through the gold sheet means that the atom consists mainly of empty space. 2. The part from which the positively charged particles are turned back is positively charged but very small in size as compared to the empty space.


Stages of discovery of the constituents of an atom

 <p>Hard and solid sphere</p> <p>Year 1808 Dalton's model</p>	 <p>Positive charge</p> <p>Negatively charged electrons</p> <p>Year 1897 Thomson's model</p>	 <p>Negatively charged electrons</p> <p>Empty space</p> <p>Positive charged nucleus</p> <p>Year 1911 Rutherford's model</p>
--	--	--

Evolution of the atomic structure from the 5 elements





Hindu philosophers discuss atoms as ultimate pieces of the elements earth, air, fire and water. Atoms are round and differ in properties such as color, flavor and odor.





J.J. Thomson proposes the "plum pudding" model of the atom, picturing negatively charged electrons rotating in concentric rings within a sphere of positive electricity

Modern atom





1803
DALTON THEORY

1904
J.J. THOMSON THEORY




1911
RUTHERFORD THEORY
(the nucleus)

1913
BOHR THEORY
(the energy levels)



1926
SCHRODINGER THEORY
(electron cloud model)

From these inferences, Rutherford presented his theory of the structure of atoms. For this theory, he was awarded the Nobel prize for chemistry.



Rutherford's theory proposes that

1. The nucleus at the centre of the atom has the positive charge. Most of the mass of the atom is concentrated in the nucleus.
2. The negatively charged electrons revolve around the nucleus in specific orbits.
3. In comparison with the size of the atom, the nucleus is very very small




You have around 7 billion atoms in your body, yet you replace about 98% of them every year!

4.3 The subatomic particles

The discoveries made during the twentieth century proved that atoms of all elements are made up of smaller components - electron, proton and neutron. An electron from hydrogen atom is no different from electron of a carbon atom. In the same manner, protons



and neutrons of all elements also have same characteristics. These particles that make up the atom are called Subatomic Particles.



Proton (p)

The proton is the positively charged particle and its located in the nucleus. Its positive charge is of the same magnitude as that of the electron's negative charge.

Neutron (n)

Neutron is inside the nucleus. The neutron does not have any charge. Excepting hydrogen (protium), the nuclei of all atoms contain neutrons.

Electron (e)

This is a negatively charged particle. Electrons revolve around the nucleus of the atom in specific orbits. The mass of an electron is negligible as compared to that of a proton or neutron. Hence, the mass of an atom depends on the number of protons and neutrons in the nucleus.


Protons and Neutrons are the two types of particles in the nucleus of an atom. They are called nucleons. The total negative charge of all an electrons outside the nucleus is equal to the total positive charge in the nucleus. That makes the atom electrically neutral.

Charge and mass of the sub atomic particles:

Particle	Discoverer	Symbol	Charge	Mass (kg)
Proton	Ernest Rutherford	p	+1	1.6726×10^{-27}
Electron	Sir John Joseph Thomson	e	-1	9.1093×10^{-31}
Neutron	James Chadwick	n	0	1.6749×10^{-27}

ACTIVITY 2

Let us learn the characteristics of the subatomic particles through the following activity. Label the parts in the given diagram and answer the following.



1. The positively charged particle is _____.
2. The negatively charged particle is _____.
3. _____ is neutral.

4.4 Atomic number and Mass number


If all elements are made up of same type of electrons, protons and neutrons how does a carbon atom differ from a iron atom? Further investigations led to the discovery that the number of the protons inside the nucleus of an atom determines what element it is. For Example if the nucleus has only one proton, then all such atoms are hydrogen atom. If there are eight protons then that atom is oxygen.



Is the structure of the atom the same as the structure of the solar system? Yes ! It is similar to the solar system. It has a core center called nucleus and it has paths called orbits around the nucleus.

Atomic number (z)

The number of electrons or protons in an atom is called the atomic number of that atom. It is represented by the letter Z. if we know the atomic number of an atom, we know the number of electrons or protons in it.



Look at the figures. The hydrogen nucleus has one proton around which revolves one electron. It means that its atomic number $z=1$.

In the helium atom there are two protons and two electrons in orbit around the nucleus, so the atomic number of helium is $z=2$.

Look at the atomic structure of oxygen shown in the figure. What is its atomic number?

Try yourself

If the atomic number of carbon is $Z=6$, what is the number of the electrons revolving in its atom

Mass number (A) or Atomic mass :

We have seen that the mass of an atom is concentrated in its nucleus. From this, we can get the atomic mass number. mass number (A) is equal to the sum of the number of protons(p) and neutrons (n) in the nucleus.

Atomic mass or mass number = Number of Protons + Number of Neutrons

$$A = p + n$$

A lithium atom contains 3 Protons and 4 neutrons . Its atomic mass number $A = 3 + 4 = 7$.

In a sodium atom, there are 11 Protons and 12 neutrons. Hence , its atomic mass number $A = 11 + 12 = 23$.

Try yourself

1. Why are atomic numbers and mass numbers are always whole numbers ?
2. A sulphur atom contains 16 Protons and 16 neutrons . Give its atomic number and atomic mass number.

When writing the symbol of an element, its atomic number and atomic mass number

are also written. For example, the symbols of hydrogen, carbon and oxygen are written as ${}_1\text{H}^1$, ${}_6\text{C}^{12}$, ${}_8\text{O}^{16}$ respectively.

All the elements in the periodic table have the following combination of protons, electrons and neutrons:

Elements	Symbols	Number of proton, electron, neutron,
Carbon	${}_6\text{C}^{12}$	6p,6e,6n
Beryllium	${}_4\text{Be}^{12}$	4p,4e,5n
Nitrogen	${}_7\text{N}^{14}$	7p,7e,7n
Boron	${}_5\text{B}^{11}$	5p,5e,6n





















Isotopes: Atoms of the same element can have different number of neutrons. Such atoms will have same atomic number but different mass numbers. These atoms are called isotopes. For example Hydrogen has three isotopes --- Hydrogen (${}_1\text{H}^1$), Deuterium (${}_1\text{H}^2$), Tritium (${}_1\text{H}^3$).

Isobars: Atoms that have the same mass number but different atomic numbers. for example Calcium - 40 and Argon - 40

Elements and their symbols with their atomic number and mass number.

Element	symbol	Atomic number	Protons (p)	Neutrons(n)	Mass number(p+n)
Hydrogen	H	1	1	0	1
Helium	He	2	2	2	4
Aluminium	Al	13	13	14	27
Oxygen	O	8	8	8	16
Sodium	Na	11	11	12	23

ACTIVITY 3

H Hydrogen 	He Helium 	Li Lithium 	Be Beryllium 	B Boron 
C Carbon 	N Nitrogen 	O Oxygen 	F Fluorine 	Ne Neon 
Na Sodium 	Mg Magnesium 	Al Aluminium 	Si Silicon 	P Phosphorus 
S Sulfur 	Cl Chlorine 	Ar Argon 	K Potassium 	Ca Calcium 

Observe the table given above and answer the following questions.

- I am used for breathing, without me you cannot live. Do you know me? Write my name and symbol _____.
- It is used in filling the balloons. It is a gas, identity it. What is its mass number? _____.
- _____.
- Name the element present in banana. What is my atomic number? _____.
- _____.
- I am found in crackers. How many protons do i have? _____.
- _____.
- I am the most valuable element. Find who am I? Can you say my mass number? _____.
- _____.

4.5 Valency

Imagine there are various people having different pattern of hands. Some have no hands and some have one, some two and others three. Few have

four and no one has more than four. The person with four hands can hold hands of four others at a same time, while the one with no hands can never hold any hand. In this manner some atoms can

hold one electron, some can hold two, some can hold three, some can hold four and some cannot hold any electron. This property is called valency.



WHAT MAKES ATOMS STICK TOGETHER?


Electrons carry a negative electric charge, and protons carry a positive charge. The attraction between them holds electrons in orbits.

This combining property of an atom is called as Valency. It is a measure of how many hydrogen atoms it can combine with. For example: oxygen can combine with two hydrogen atoms and create water molecule, the valency of oxygen atom is two. In case of chlorine, it can combine with only one hydrogen to create HCl (hydrochloric acid) here the valency of chlorine is one. Methane has one carbon atom combining with four hydrogen atoms to form carbon molecule is methane (CH₄). Can you guess the valency of Carbon in methane? In ammonia molecule, Nitrogen combines with three hydrogen atoms. What is the valency of Nitrogen in ammonia?

Valency is defined as the combining capacity of an element. Atoms of different elements combine with each other to form molecules. Valency determines the number of atoms of an element that combines with atom or atoms of another type.

The element having valency one is called monovalent. For example: Hydrogen and Sodium. The elements having valency two are called divalent. For example: Oxygen and Beryllium. The elements having valency three are called trivalent. For example: Nitrogen and Aluminium. Some elements exhibit more than one valency. For example: Iron combines with oxygen to form two types ferrous oxide (exhibits valency 2) and ferric oxide (exhibits valency 3), however we will study about them later.

When atoms of different elements combine with each other then molecules of compounds are formed. In these instances, it is necessary to know the valencies of those elements. For example:



Valency 1 + 1

Here, the valencies of both sodium and chlorine are 1.

Remember The valency of element Na is 1


The valency of element Cl is 1

Then, the molecular formula will be

Symbol of Elements Na Cl Molecular Formula

Radicals and ions 1 1

NaCl



Valency 2 1

Here, the valency of magnesium is 2 and that of Cl is 1.

Elements and their symbols with their atomic number and mass number and valency.

Element	Symbol	Atomic Number	Mass Number	Valency
Hydrogen	H	1	1	1
Carbon	C	6	12	4
Oxygen	O	8	16	2
Sodium	Na	11	23	1
Calcium	Ca	20	40	2



ICT CORNER

Atomic Structure

Let's build an atom.



PROCEDURE :

- Step 1:** Use the URL to reach stimulation page. Click play button to launch the simulation.
- Step 2:** Click on the "ATOM", a new window will be open. Drag the particles (Protons, Neutrons and Electrons) from the baskets which is at the bottom of the display.
- Step 3:** You can observe the changes in 'Elements, Net charge and Mass number' at the right side windows.
- Step 4:** Click on the "Symbol" at the bottom. Drag the particles and get the Symbol of the element.
- Step 5:** Click on the "GAME" and play the games.



Step 1



Step 2



Step 3



Step 4

Atomic Structure URL:

<https://phet.colorado.edu/en/simulation/build-an-atom>

*Pictures are indicative only

*If browser requires, allow Flash Player or Java Script to load the page.



B351_7_SCI_EM

Points to remember

- ❖ An atom is the smallest particle of a chemical element that retains its chemical properties.
- ❖ They are very tiny compared to other particles.
- ❖ Atoms are too small to be seen by the naked eye or even through microscope.
- ❖ An atom consists mostly of empty space.
- ❖ Atoms of same element are identical, and different elements differ.
- ❖ An atom consists of a dense nucleus of positively-charged protons and electrically-neutral neutrons.
- ❖ The protons and neutrons are called nucleons.
- ❖ The protons, neutrons and electrons are denoted by p,n,e respectively.
- ❖ An atom is electrically neutral. Atoms contain equal number of protons and electrons.
- ❖ Atomic number is the number of protons in an atom.
- ❖ The total number of protons and neutrons present in the nucleus of an atom is the mass number.
- ❖ Valency is defined as the combining capacity of an element.



Evaluation

I. Choose the appropriate answer.

- The basic unit of matter is _____.
a. Element
b. Atom
c. Molecule
d. Electron
- The subatomic particle revolve around the nucleus is _____.
a. Atom
b. Neutron
c. Electron
d. Proton



- _____ is positively charged.
a. Proton
b. Electron
c. Molecule
d. Neutron
- The atomic number of an atom is _____.
a. Number of neutrons
b. Number of protons
c. Total number of protons and neutrons
d. Number of atoms
- _____ Nucleons comprises of
a. Protons and electrons
b. Neutrons and electrons
c. Protons and neutrons
d. Neutrons and Positron

II. Fill in the blanks.

- The smaller particles found in the atom is called _____.
- The nucleus has _____ and _____.
- The _____ revolve around the nucleus.
- If the valency of carbon is 4 and that of hydrogen is 1, then the molecular formula of methane is _____.
- There are two electrons in the outermost orbit of the magnesium atom. Hence, the valency of magnesium is _____.

III. Match the following:

1. Valency	Fe
2. Neutral Particle	Proton
3. Iron	Electrons in the outermost Orbit
4. Hydrogen	Neutron
5. Positively charged Particle	Monovalent

IV. True or False. If False, give the correct statement (T/F).

1. The basic unit of an element is molecule.
2. The electrons are positively charged.
3. An atom is electrically neutral.
4. The nucleus is surrounded by protons.

V. Complete the analogy.

1. Sun: Nucleus, planets: _____.
2. Atomic number: _____, Mass number: number of protons and neutrons.
3. K: Potassium, C: _____.

VI. Assertion and reason.

1. **Assertion:** An atom is electrically neutral.
Reason: Atoms have equal number of protons and electrons.
2. **Assertion:** The mass of an atom is the mass of nucleus.
Reason: The nucleus is at the centre.
3. **Assertion:** The number of protons and neutrons is atomic number.
Reason: The mass number is sum of protons and neutrons.

VII. Give very short answer.

1. Define an atom.
2. Name the sub-atomic particles.
3. What is atomic number?
4. What is the characteristics of proton?
5. Why neutrons called neutral particles?

VIII. Give short answer.

1. Distinguish Isotopes from Isobar.
2. What are the isotones give one example.
3. Differentiate mass number from atomic number.

4. The atomic number of an element is 9, it has 10 neutrons. Find the element from the periodic table. What will be its mass number?

IX. Answer in detail.

1. Draw the atom structure and explain the position of the sub-atomic particles.
2. The atomic number and the mass number of an element is 26 and 56 respectively. Calculate the number of electrons protons and neutrons in its atom. Draw the structure.
3. What are nucleons. Why are they so called? Write the properties of the nucleons.
4. Define valency? What is the valency of the element with atomic number 8. What is the compound by the element with hydrogen.

X. Questions based on Higher Order Thinking Skills.

1. An atom of an element has no electron, will that atom have any mass or not? Can atom exist without electron? If so then give example.
2. Find what is common salt? Name the elements present in it? Write the formula of common salt. What are the atomic number and the mass number of the elements? Write the ions in the compound.


XI. Project.

To have an idea of what atoms are, students will construct atoms using pipe cleaners (thin metal wires-electron shells), pom-poms (balls) (different colors for protons and neutrons) and beads (electrons). Students will love and enjoy putting them together and they look great hanging from the ceiling in the classroom.

Unit 5

Reproduction and Modification in Plants

Pollination in Plant



Self Pollination

Cross Pollination

Learning Objectives

- ❖ To get a clear idea, how a flower become a fruit with seed through pollination and fertilization.
- ❖ To acquire knowledge about the pollination and pollinators
- ❖ To differentiate self pollination and cross pollination in plants.
- ❖ To know the modification of root, stem and leaves.
- ❖ To understand how these modifications are useful to animal and Human Being



Introduction

Already we know that flowering plants have root, stem and leaves. They are called vegetative organs. Flowers, fruits and seeds in a plant are called reproductive organs. In earlier classes we have seen new plants can be grown from seeds. In this lesson, we are going to know about how a flower changes itself into a fruit and the modifications of root, stem and leaves of a plant.

ACTIVITY 1

Aim:

To raise a new generation of plant from watermelon and potato.

Materials required:

Two pots with soil, potato, watermelon seeds and water.

Procedure:


Fill both pots with soil mixed with compost or manure. Take young potato. Ensure that it is not dried up and the skin still looks fresh. Bury a potato in one part. Sow watermelon seeds in another pot. Pour water regularly and maintain the plant.

Observation:

After few days, we can see single plant arising from a buried potato. Plants arise from the pot sowed with watermelon seeds. Each seed produces a plant.

Inference:

Watermelon plants were produced from seeds. Potato plant is not from seed, but from the stem tuber (vegetative part). Seed is not only the source for new generation, even vegetative part of a plant can also be used to produce a new plant.



Find out how these plants reproduce:

Sl. No.	Name of the plant	Reproductive Part			
		Seed	Stem	Cutting	Layering
1.	Mango				
2.	Potato				
3.	Banana				
4.	Tamarind				
5.	Rose				
6.	Mustard				
7.	Coriander				
8.	Moringa				
9.	Pumpkin				
10.	Radish				

5.1 Reproduction


The process by which plants and animals produce young ones and increase their number is known as 'reproduction'. Drumstick tree can be grown from both seeds and stem cuttings. When plants reproduced from seeds we call that process as **sexual reproduction**. All other ways of reproduction without seed are called as **asexual reproduction**.

5.2 Sexual reproduction

Seed is produced from a flower by the process of pollination and fertilization. This is known as sexual reproduction. To understand how seeds are formed in a flower, first we need to understand parts of a flower.

ACTIVITY 2



Take a flower. Dissect as shown longitudinally and find parts inside the flower. Can you identify the male reproductive part, androecium (stamen, filament and pollen sac). Carefully observe the female reproductive part, gynoecium (ovary, style and stigma). If they are not seen clearly, gently pluck off the sepals and petals. Make a drawing of the parts and arrangement in your notebook.





5.1.1 Parts of flower

Collect few buds and opened flowers of **Hibiscus** and **Datura**. With the help of your teacher, perform the following steps.


- Observe and compare bud and opened flower of **Hibiscus** and **Datura**.
- Tabulate the characteristics

Hibiscus flower	
Bud	Opened flower
Green colour	Brightly colour
Sepals	Petals
Dissected Hibiscus flower	
Bud	Opened flower
Curled petals	Expanded petals
Small tube with yellow lobes-Anthers	Expanded tube with yellow lobes-Anthers
	

Datura flower	
Bud	Opened flower
Green colour	White colour
Sepals	Petals
Dissected Datura flower	
Bud	Opened flower
Curled petals	Expanded petals
Small yellow lobes-Anthers	Expanded yellow lobes-Anthers
	


In a bud, we can see a green colour, leaf like structure which cover the whole bud or flower, Each of these green like structure present as an outermost layer is called as **sepal**. This outer most ring of sepals is known as **calyx**.

Sexual Reproduction in Plants






Petals are the largest part of flowers. They are often attractive, brightly coloured, sometimes sweet scented and attract the insects. This ring of **petals** together is called **corolla**.




Inner to this corolla, in **Hibiscus**, we can observe a long tube on which many stamens are arranged. But in **Datura**, we can see only five stalked structures, stamens. This ring or whorl of a flower is called **androecium**. Each stamens consists of two parts – a stalk called filament and a lobe called anther. If you touch these lobes in a mature flower, we can get a powdery substance called pollen grains, male reproductive part.



Androecium -Male part of the flower

Inner to this androecium whorl, we can find a female reproductive part of the flower, called Gynoecium. You will find this part with a swollen bottom part. This is the ovary. Seeds are produced in this part. On top of the ovary there is a slender tube like structure called style. The top most sticky tip of the style is stigma. Pollen grains are received

by the stigma. This is the fourth whorl of a flower.





Gynoecium – Female reproductive part

5.2.2 Types of flowers

Now we shall learn some important terms to understand flowers and their role in reproduction.

- ❖ If all the four whorls- calyx, corolla, stamens and pistil are present, then it is called as complete flower.
- ❖ Complete flowers are bisexual flowers.
- ❖ If any of these four whorls is missing, then it is called as an incomplete flower.
- ❖ Incomplete flowers are unisexual flowers. There are two types of unisexual flowers, male flower and female flower
- ❖ The one with androecium and without gynoecium is called as **male flowers** and the one with gynoecium and without androecium is known as **female flowers**.
- ❖ These are called **unisexual flowers**.

**Bisexual Flower****Unisexual Flower****ACTIVITY 3**

Using the information from the above complete the following table:

Sl. No.	Name of the flower	Complete / incomplete	Unisexual / bisexual	If unisexual male or female
1.	Hibiscus			
2.	Pumpkin			
3.	Rose			
4.	Coconut			
5.	Jasmine			

DO YOU KNOW? The sunflower is not a single flower. It is a group of flowers clustered together. A group of flowers arranged together is called inflorescence. *Tridax procumbens*, looks like a single flower, but is an inflorescence. Leaf juice of this plant is used to cure wounds and cuts.

5.2.3 Flower to fruit

To understand how a flower develops into fruit, let us perform an experiment on pumpkin plant. We know from our earlier explorations that flowers of pumpkin are unisexual- that is some of the flowers are male while many are female flowers.


ACTIVITY 4**Make a flower album**

Press the collected flowers between pages of newspaper or book. Place two thick sheets and keep a heavy object, such as brick, on the top to apply pressure. Turn the sides every two to three days. Allow flowers to dry completely. Collect the dried flowers and paste them in an album. Now, your flower album ready.

We can easily identify the male and female flower buds of pumpkin, even before they bloom. Once flower buds appear, immediately identify ten female flower buds. Tie a plastic bag around each bud so that no outside material can enter.



Ensure to make small holes with a pin to allow air flow. Wait for two to three days to bloom.



Female



Male


Choose three to four male flowers. Pluck the stamens of these flowers and dust the pollen grains in a sheet of paper and collect it. Open five out of ten bags containing female

flowers. Brush the collected pollen grains on the stigma with a soft paint brush. Take care not to damage the stigma. After few days we can see that flower in all bags that were not opened at all would wilt without forming a fruit, while most of the flowers to which pollens have been applied for fruits.

The process by which pollen grains reach stigma is called as **pollination**. The flower that receives pollen grains is called pollinated flower while the one that did not receive pollen grains is called as unpollinated flower.

5.2.4 Pollination

In the above experiment we transferred the pollen grains from male flower to the female flower. This is called as an **artificial pollination**. However in nature there are many ways in which pollen grains reach the stigma of the flower and is called as **natural pollination**.



In some plants like grasses, pollen grains are light. Stamens shed pollen grains, and are carried by wind to other flower. Insects, birds are also other agents of pollination. Bees, butterflies and variety of birds hover around flowers. They help to carry pollen from one flower to another. Pollen grains stick to their legs, wings or abdomen when they move from one flower to another. This is called as **Cross pollination**


When you shake stamens, pollen grains fallout. Thus when a wind shake the flower or when a butterfly agitate the flower, pollen grains

could fall onto the stigma of same flower. Some plants that have both the male and female parts within a single flowers(bisexual) pollinate by this means. This is called as **Self pollination**.

Beans (Fabaceae), tomatoes (Solanaceae) are commonly self-pollinate. Even though, for example tomato, self pollinate, they need the help of the insects to create vibrations within the flowers that will effectively loosen the pollen. Paddy is mostly self pollinating using just gentle wind as the pollinating agent. The agents that are helping in pollination are called **pollinators**.

Differences between Self / Cross Pollination.


Self Pollination	Cross Pollination
Pollen grains are transferred from the anther to the stigma of the same flower or to another flower of the same plant.	Pollen grains are transferred from the anther of one flower to the stigma of another flower of the same kind or different plant.
Plants do not need to produce pollen grains in a large quantity for self pollination	Plants need to produce pollen grains in larger quantities to increase the chance of pollination.
It does not produce changes in the characteristics of new plants.	Cross pollination does introduce variations in characteristics of new plants.



In many plants, pollens have to come from some other flowers. This is obvious in case of plants which have distinct male and female flowers like pumpkin. In some flowers the gynoecium matures first before the androecium shed pollens. Plants such as apples, plums, strawberries, pumpkins use insects for cross-pollination.


5.2.5 Fertilization

Through pollination, pollen grains reach stigma. What happens to them after this? Substances produced on the stigma causes the pollen grain to germinate. During the germination a tube develops from the pollen grain that carries male gametes that ultimately reaches female gamete inside the ovary through the style. Male gamete fuses with the female gamete to form zygote. This process is known as **fertilization**.



Life cycle of a plant

Where is this female gamete? Inside the ovary, small rounded structures, ovules are present. In these ovules, female gamete is present. To know more about this, we should cut ovary of a flower in longitudinal and transverse ways.



Cut an ovary of a flower both vertically and horizontally. Observe the ovules. Compare the ovary and ovules from few different flowers. Are there one or more ovules? Can you see any connection between the number of ovules in the ovary and number of seeds in each fruit?

Collect some fruits – Tomato, Brinjal, Lady's finger (vegetable), mango, peas and custard apple and observe. You can see some green part above brinjal and lady's finger. What are they?

Compare mango, custard apple and peas. All these are single fruits but custard apple has many small parts in it, each with a seed. Mango has a single seed and pea has many seeds. What do you understand from the above observations?

- A green part above fruits of **brinjal** and **lady's finger** are sepals of a flower. In some, after fertilization, sepal will not fall from fruit and remain or persist with fruit.
- Custard apple** : It is made up of many fruits, aggregated together. Each fruit part is thin, membraneous with some granule like, which is edible.

iii. **Mango** : Outer skin and middle pulpy are edible and sweet. Inner most is with single seed.

iv. **Pea** : Fruit is not fleshy, but forms a covering pouch for many seeds.

In all above fruits, ovary, a lower most swollen part of pistil develops into a fleshy fruit. Ovules present inside the ovary gets transformed into a seed.

Hence, now with these observations, shall we list the changes taken place in a flower after fertilization. These are collectively said to be **post fertilization changes** and are:

- ❖ Calyx sometimes persist with fruit
- ❖ Petals wither / fall off
- ❖ Androecium fall off.
- ❖ Pistil remain and develops into a fruit.
- ❖ Style and stigma fall off
- ❖ Ovary enlarges to store food materials and develops into a fruit.
- ❖ Ovules present inside the ovary develops into seeds.



1. The world's largest and heaviest seed is the double coconut. The seed looks like two coconut fused together. It only grows in two islands of the Seychelles. A single seed may be 12 inches long, nearly 3 feet in circumference and weighs about 18 kg.
2. Orchids have the smallest seeds in the plant kingdom. 35 million seeds may weight only about 25 gram.

5.3 Asexual reproduction

Earlier we saw that plants reproduce not only from seeds but by other processes as well. The production of new plants without the involvement of pollination and fertilization is known as asexual reproduction. Let us know the types of asexual reproduction.


5.3.1 Vegetative Propagation

In potato, shoot arise from eyes. Sugarcane, yam are also grown like this. Vegetative parts of the plants such as root, stem and leaves can help to propagate the plant.



5.3.2 Budding


When we go to a bakery we see so many types of cakes and breads. These are very soft in nature. This is due to the presence of Yeast. Single yeast undergoes asymmetric division. It produces a small protuberance which gradually grows and detaches from the parent cell. This process is called **budding**.



5.3.4 Fragmentation


In a pond we see so many algae. **Spirogyra** is a filamentous alga, when it matures, the filament

divides into pieces. Each fragment or piece of a filament will grow into a new filament or individual. Likewise **Spirogyra** produces so many young ones and this process is known as **fragmentation**.



5.3.5 Spore Formation

What do you mean by unfavourable conditions? Scarcity of water, high temperature, nutrient deficiency in soil etc., are unfavourable conditions. During these conditions non-flowering plants like Algae, Fungi, Moss and Ferns produce spores. They germinate into a new plant when favourable conditions return.



5.4 Modifications of plant parts

Compare the given plants and discuss with your teacher.



Carrot Plant



Grass



Onion



Potato



Mango

Carefully remove a fresh carrot plant from the soil. Observe it. Look at the part we usually consume as 'carrot vegetable'. However it is not a unripe fruit, but the tap root of the carrot plant. We can see that the tap root of the carrot is swollen. In the case of the carrot plant, the tap root has a different characteristics than the usual

plants. Normally, each plant organ, originally evolved to meet certain needs of the plant. For example, roots evolved primarily to anchor the plant and also absorb water and mineral nutrients from soil. Leaves were adapted to optimize photosynthesis.

Stems evolved to reach out to sunlight and also served to conduct water from roots to leaves. However in certain plant species, specific parts have evolved further in unusual and surprising ways to meet certain other specific needs. In some plants root, stem, and leaves change their shape and structure to perform special functions like storage of food, mechanical support, protection and other vital functions. This is known as modification.

What appear as the 'leaf' of a cacti are actually their stem and what appear as 'spine' on them are actually leaf. Its leaves are modified into spines, an adaptation to reduce transpiration. Photosynthesis is performed by the stem part of the plant.

In this lesson let us study about the modification of root, stem and leaves.

5.5 Modification of Root



5.5.1 Roots for storage

Look at a radish, turnip, beet root, and carrot. They all grow under the soil. As soon as you pluck it from the ground if you wash them gently, you will notice small roots dangling from their surface. All these vegetables are in fact roots of the plant. Instead of thin slender roots, in case of such plants, the roots have become a place to store the food produced by them.

Modification of Root


To perform special functions the roots change their size and shape.




STORAGE OF FOOD
e.g. Beet root



MECHANICAL SUPPORT
e.g. Banyan tree



GASES EXCHANGE
e.g. Avicennia



SUCKING ROOT
e.g. Cuscuta


PLANT MODIFICATION

Modification of stem

Stem modified for storing the food materials and for vegetative propagation.



AERIAL MODIFIED
e.g. Cactus




SUB-AERIAL MODIFIED
e.g. Eichhornia




UNDERGROUND STEM
e.g. Colocasia

Modification of Leaf

Leaves have changed themselves to adopt to their environment



SPINES
e.g. Opuntia



TENDRILS
e.g. Pisum



PHYLLOID



TRAPS
e.g. Nepenthes



Hence they are thick and swollen. One can notice that the tap root of radish is in the shape of spindle, swollen in the middle and tapering at both ends. Such type of modified roots are called spindle shaped root. **Example : Radish**



Radish

At times, like in the case of turnip, and beet root the tap root can acquire a shape of top, that is spherical at the base and tapering shortly towards the apex. They are called as Top shaped root.



Beet Root

In case of **carrot**, the shape is conical, broad at the apex and tapering gradually towards the base and such modified roots are called Conical shaped root.



Carrot

ACTIVITY 5

Aim: To study the modification of root.

Materials Required: Sample / charts of raddish, carrot, beet root, sweet potato, stilt roots and pneumatophores.

Procedure: Carefully observe the shape of each specimen.

Observation: Draw the diagram and observe the morphological differences between the samples.

5.5.2. Mechanical Support

Look at a banyan tree. It seems to have many trunk supporting it. However many of them are actually roots. As the banyan tree is large and huge, it needs support not to tilt and fall down. Many plants require such additional support. Such plants develop roots on their aerial parts to provide mechanical support. These roots grow downward and act as supportive organs. There are three types of modified roots for support.

- i. **Prop roots:** Roots are modified to provide mechanical support as seen in Banyan tree. These roots grow vertically from horizontal branches of a tree.



Banyan

- ii. **Stilt roots** : In sugar cane, and maize adventitious roots arise from the nodes in cluster at the base of the stem. These roots are called stilt roots which gives additional support.



Sugar cane

- iii. **Climbing roots**: In betel and black pepper, nodes or internodes bear roots which help in climbing.



Betel

DO YOU KNOW? A root growing from a location other than the underground, such as from a stem or leaf is called as adventitious root

5.5.3. Gaseous Exchange:


Avicennia is a tree which grows in mangroves or swamps. They have roots which are seen above the ground for the purpose of gaseous exchange. These roots are erect, peg like

structures with numerous pores through which air circulates. These roots are called **breathing roots, or pneumatophores**.



Avicennia

DO YOU KNOW? **Vanda** is an epiphytic plant, which grows on trees. The velamen tissue present in the epiphytic root, absorbs moisture, to perform photosynthesis



Vanda

5.5.4. Roots for other vital function

Roots may also be perform special function. Haustoria or **Sucking roots**, are one such example. Cuscuta a parasite plant, climb the trees and other vegetation and use the haustorial roots to penetrate the tissue of the host plant and suck nutrients from them. They are usually found in parasitic plants that depend on the host plants for nutrients.



Cuscuta

5.6 Modification of stems

Can you guess what is common between ginger, onion bulb, potatoes. All three are stems. Some plants have their stems modified for storing food and for vegetative propagation. Modified stem may be aerial, subaerial or underground stems.

5.6.1 Aerial Modifications

Phylloclade: In dry climate, conserving water is a challenge. Water evaporates from the surface. If the surface area is larger, evaporation would be more; and if the surface area is smaller, the evaporation will be less. Plants with many leaves have more surface area. **Cactus** hence has a thick stem which does most of the food production through photosynthesis and leaves are reduced to small spines with less surface area.



Cactus

5.6.2 Sub – aerial Modifications


Stem of some plants remains sub – aerial which grow horizontally on the surface of the soil for the purpose of reproduction. There are four types.

- i. **Runner** : The stem grows laterally on the surface of the soil, breaks up to produce roots where it touches the ground to give rise to new plants. **E.g: Centella (Vallarai)**




Centella

- ii. **Stolon** : Stolon is a slender branch of the stem that grows upwards to some distance and then bends towards the ground. Upon touching the ground, it gives rise to a new plant. **E.g: Wild strawberry.**



Wild strawberry

- iii **Sucker** : Sucker is a short and weak lateral branch that grows diagonally upwards and directly gives rise to a new shoot. **E.g : Chrysanthemum.**



Chrysanthemum

- iv **Offset :** An offset is a short and thick branch that arises from the axial part of a leaf. It has thick internodes. It produces a tuft of leaves and cluster of small roots below.
E.g: Eichhornia.



Eichhornia

ACTIVITY 6

Aim: To study the modification of stem

Materials Required: Specimens of Ginger, Potato, Onion, Mint, Bougainvillea, Acacia, Opuntia and locally available specimens.

Procedure: Observe the external morphology of each specimen.

Observation: Draw diagram and bring out the differences and their function in each type of stem modifications.

5.6.3 Underground modifications

In aerial and sub aerial modifications, stem has indefinite growth. In underground modified stem, whole stem is burried under the ground and it has definite growth. Usually stem grows above the ground, but there are some stems that grow under the ground to store food. These underground stems swell and become thick.

There are four types of underground stems:

1. Rhizome; 2. Corm; 3. Tuber; 4. Bulb

i. **Rhizom:** It is an underground thick stem with nodes and internodes with scale leaves at the node. It grows horizontally and has an irregular shape. Rhizome have buds. If give rise to new stem and leaves. **E.g: Ginger and Turmeric.**



Turmeric

ii. **Corm:** This underground stem is round in shape and flat at the top and bottom. It is a condensed form of rhizome and bears one or more buds in the axils of scale leaves. Daughter plants arise from their buds.
E.g: Colocasia.



Colocasia

iii. Tuber: It is an enlarged, spherical underground stem that stores food. It has many dormant buds on its surface known as “Eyes”. If we plant a part of tuber with the bud, it grows into a new plant. **E.g. Potato.**



Potato

iv. Bulb: It is a condensed stem which is disc like and stores food in the fleshy leaves. The bulb has two types of leaves.

1. Fleshy Leaves
2. Scaly Leaves

The upper part of the stem has a terminal bud and it is covered by many scaly leaves. The inner fleshy leaves store food as seen in Garlic and Onion.



Onion

5.7 Modifications of Leaf

Plants have changed themselves to adapt to the environment they grow. One of them is the

modification of leaves. Leaves of several plants get modified into different form based on the purpose and environment

i. Spines: Leaves are reduced to spines, and the stem is modified into green succulent part to perform photosynthesis. **Eg : Opuntia.**



Opuntia

ii. Tendrils: In climbers, the leaf of plant would be modified into elongated structure to help the plants climb efficiently.

- ***Gloriosa superba*** – Leaf tips are modified into tendrils
- ***Pisum sativum* (pea)** – Terminal leaflets are modified into tendrils.



Pisum sativum

iii. Phyllode: In *Acacia auriculiformis*, petioles expand to form leaf like structure. They carry out the function of leaf (Photosynthesis)



Acacia

iv. Traps: Plants that grow in nitrogen deficient places adapt themselves well to get it. In **Nepenthes**, the leaves are modified into a flask like structure, which is used to attract insects and other tiny animals. The inner wall of the leaf secretes digestive enzymes that help to digest the insects and extract the nitrogen needed for the plant. **Eg: Nepenthes.**



Nepenthes

Points to remember

- ❖ Reproduction is an essential characteristics of living organisms. In plants there are two types of reproduction – asexual reproduction and sexual reproduction.
- ❖ In a flowering plants ,flowers are the reproductive organs. They produce fruits and seeds through pollination and fertilization.
- ❖ The male reproductive organ of a flower is androecium and the female reproductive organ of a flower is gynoecium.
- ❖ Transfer of pollen grains from the anther to stigma is called pollination. There are two types of pollination - self pollination and cross pollination.
- ❖ Agents like wind, water, insects and animals are helpful for pollination and are known as pollinators.
- ❖ After pollination, the fusion of male and female gametes takes place. It is called fertilization. After fertilization, ovary becomes the fruit and ovule becomes the seed.
- ❖ To perform the special function other than the normal function, the root, stem and leaf externally modify themselves according to the environment. So they change their size, shape and colour. These are called the modification of root, stem and leaves.



ICT CORNER

Reproduction plants

Let's label the parts of the flower.



PROCEDURE :

- Step 1:** Use the URL to reach stimulation page. Click 'Run adobe flash' to launch the simulation.
- Step 2:** Select 'OK' button to run the activity.
- Step 3:** Drag a Stamen into the labelled box. Then click 'OK' button.
- Step 4:** Read the instructions at the top of the screen to do the activity.
- Step 5:** Click 'Reset' to refresh.



Step 1



Step 2



Step 3



Step 4

Reproduction plants URL:

<http://www.sciencekids.co.nz/gamesactivities/lifecycles.html>

*Pictures are indicative only

*If browser requires, allow Flash Player or Java Script to load the page.



B351_7_SCI_EM



Evaluation

I. Choose the appropriate answer.

- Vegetative propagation by leaves takes place in
 - Bryophyllum
 - Fungi
 - Virus
 - Bacteria
- Asexual reproduction in yeast is
 - Spore formation
 - Fragmentation
 - Pollination
 - Budding
- Reproductive part of a plant is
 - Root
 - Stem
 - Leaf
 - Flower
- Pollinators are
 - Wind
 - Water
 - Insect
 - All the above
- Climbing roots are seen in
 - Betel
 - Black pepper
 - Both of them
 - None of them



II. Fill in the Blanks.

- The male reproductive part of a flower is _____.
- _____ is the basal swollen part of the Gynoecium.
- After fertilization the ovule becomes _____.
- Breathing roots are seen in _____ plants.
- Onion and Garlic are example of _____.

III. True (or) False, write the correct answer for the false statement.

- A complete flower has four whorls.
- The transfer of pollen to the stigma is known as pollination.
- Conical shaped root is carrot.
- Ginger is an underground root.
- Leaves of Aloe vera are fleshy and store water.

IV. Match the following:

1.	Petal	-	Opuntia
2.	Fern	-	Chrysanthemum
3.	Phylloclade	-	Attracts insect
4.	Hooks	-	Spore
5.	Sucker	-	Bignonia

V. Very short answer.

- Write two types of reproduction in plants.
- What are the two important parts of a flower?
- Define – pollination.
- What are the agents of pollination?
- Give example for
 - Corm
 - Tuber
- What is tendril?
- What are thorns?

VI. Short answer.

- Differentiate bisexual flower from unisexual flower?
- What is cross pollination?
- Write notes on phyllode.

VII. Answer in Details.

- Write a brief account on pollination.
- Explain the underground stems.

VIII. Higher Order Questions.

1. Ginger is considered to be a stem, not a root. Why?
2. What will happen if pollen grain of rose gets deposited on stigma of lily flower? Will pollen germination takes place? Why?

IX. Assertion and Reasoning types of Question.

1. **Assertion** – Pollination and fertilization in flowers, produces fruits and seeds.

Reasoning – After fertilization the ovary becomes fruit and ovule becomes seed.

- a. Assertion is correct, Reasoning is incorrect.
- b. Assertion is incorrect, Reasoning is correct.
- c. Assertion is correct, Reasoning is correct.

d. Assertion is incorrect, Reasoning is incorrect.

2. **Assertion** – The example of conical root is carrot.

Reasoning – It is an adventitious root modification.


- a. Assertion is incorrect, Reasoning is correct.
- b. Assertion is incorrect, Reasoning is incorrect.
- c. Assertion is correct, Reasoning is correct.
- d. Assertion is correct, Reasoning is incorrect.

X. Picture Based question.

- i. Observe the picture and draw the labels.

Parts of a Flower

Label the parts below:



Stigma	Pistil	Filament	Ovule	Sepal	Stamen
Petal	Style	Anther	Ovary		

- ii. Identify the four plants shown in the following Name the different modification in each of them.

	Name	Modification
1.	Garlic	
2.	Turnip	
3.	Rose plant	
4.	Maize	

Unit 6

Health and Hygiene



Learning Objectives

- ❖ At the end of this lesson you will learn
- ❖ How to take care of your body. (Describe ways to take care of our body)
- ❖ Take care of your teeth, eye, hair and follow the hygienic habits.
- ❖ To understand the communicable and non-communicable diseases.
- ❖ To know and understand some common ailments and their remedies.
- ❖ To know first aid and safety measures.



Introduction

1. Have you ever taken leave from the school due to sickness?
2. What happens exactly when we become sick?
3. Sometimes, we feel good even without taking any medicines and sometimes we need to consult doctor and take regular medicines in sickness. Why is it so?



What causes sickness?

Persons from different countries or backgrounds have different ways to explain what causes sickness.

A baby gets diarrhoea. Why?

Some people may say that parents did something wrong, or perhaps because they made a God or Spirit angry. A doctor may say it is because the child has an infection. A public health officer may say it is because the villagers do not have a good water system or proper sanitation. A teacher may say that they need to be educated about health and sanitation. People see the cause of sickness in terms of their own experience and point of view. Who then is right about the cause? Possibly everyone is right, or partially right.

This is because...

Each of the causes seen above may be a part of the reason why a baby gets diarrhoea. To prevent

and treat sickness successfully, it is necessary to have complete understanding of the common sicknesses in the area and the combination of things that caused them. Reading this lesson may help to understand the various causes of sickness.

Health is the best wealth. If you have good health, you will have a sound mind and you will gain good knowledge and wealth also. To maintain good health, you should follow good hygiene, eat nutritious food, do exercise, take rest and have a sound sleep.

It is also refers to a state of a sound mind and body free from any sickness or ailment, stress and problems. In simple words, health refers to the physical, emotional and psychological well-being of a person.


Hygiene refers to the good habits and their practices which is followed to prevent diseases, maintain good health, especially through cleanliness, consumption of safe drinking water and proper disposal of sewage. It refers to all those activities that are done for improving and maintaining good health and sound mind.

Cleanliness

Observe the following picture discuss with your teacher and write few lines about the transmission of disease producing pathogens through oral and faecal route.

Cleanliness refers to the maintenance of personal and environmental hygiene. In simple words, It refers to the state of being clean which is essential for good health. To protect us from diseases it is essential to maintain good health by taking regular bath, cleaning the clothes and surroundings and also avoiding unhygienic food consumption.

The Faecal-Oral Route of Disease Transmission



Personal hygiene

Do you follow the personal hygiene properly?




How does the above activities will keep you physically fit?

Personal hygiene is defined as “the branch of health which is concerned with the individual’s adjustment to the physiological needs of the body and mind for the attainment of the maximum level of health, it also refers to the cleaning and grooming of the body.

How do pathogens are spread ?


ACTIVITY 1

What is Personal Hygiene?



List out your daily activities in the given table

S.No.	Activities	Number of Times in a Day
1.	Brush teeth	
2.	Take shower	
3.	Wash hair	
4.	Wash hands and feet	
5.	Wearing Clean clothes / Uniforms	



Observe the picture and answer the question.

What will happen, if cold affected friend/ classmate of you, sneezes or cough in front of you? _____

Colds and the flu are common communicable diseases. It is caused not only by bacteria but also by virus. When you have cold and flu, you may also have running nose, cough, sore throat, and sometimes fever or pain in the joints. For some, this condition may also lead to mild diarrhoea.

Secretions oozing out from the nose may contains the bacteria or virus. When the patient touch the nose and some other object or someone else the virus is transferred. When the patient sneezes or coughs the virus comes out with the droplets and become airborne. Hence it is a good practice for the patient with cold and flu to use a handkerchief to blow the noses and also wash the hands often to ensure that they do not accidentally spread the virus to others.

Community Hygiene

ACTIVITY 2



Observe the picture and write remedial measures

A community is formed by a group of people living together in a particular area. If the people in a community wish to lead a healthy life, they should maintain basic community hygiene. It can be done by adopting the following measures.

- The surroundings should be kept clean.
- Drains should be covered properly.
- The domestic wastes should be segregated and properly disposed off safely in separate dust bins provided by the Government (Green and Blue).
- Used water from houses should not be let out into open drains or open areas.

DO YOU KNOW? Dengue is spread by mosquitoes of *Aedes aegypti* caused by DEN-1, 2 virus belonging to the type- flavivirus. It decrease counting of the blood platelets of human blood and it has a maximum flight range of 50–100 meters in and around the places.



Care of the body

A human body is a massive miracle. It consists of organs and systems, which functions day in and out. Our body in compared to a machine. The human body systems work well with proper maintenance and guidance. For smooth functioning, all the parts of the body should work in unison. The digestive system, circulatory and muscular system is the core systems that should be in synchronization and functioning well. So keep them well by proper care.

Dental Care

Dental care or broadly speaking oral hygiene is an important aspect of the personal health of

an individual. Good oral hygiene implies sound teeth and healthy gums with healthy surrounding tissues. The physical act of chewing food promotes saliva and gastric secretions which helps digestion. The act of chewing and tasting is called 'mastication'. It gives pleasure and emotional satisfaction of eating food. Teeth is essential for good appearance and clear speech also.



- When you brush two times a day, it will prevent the formation of tartar and plaque on your teeth and gums.
- When you Floss, it will remove food particles, plaque, AND bacteria which build up between your teeth. When you start flossing, your gums may bleed a little bit, but after few days that will be stopped. It should be started only with proper medical guidance.



Diseases affecting the teeth

Diseases affecting the teeth and gums, their causative agents and remedial measure are given below:

Sl. No.	Name of the Diseases	Causative Agents	Impacts/ Consequences	Remedial measures
1	Bleeding gums	Vitamin C deficiency	Bleeding of the gums	Eating citrus fruits
2	Tooth decay	Bacteria in plaque	Bacteria produce acids	Brushing and flossing the teeth can prevent decay.
3	Periodontitis	Tobacco chewing	Severe form of gum disease ruin the bones, gums, and other tissues	Chewing type of tobacco should be avoided. Eat a well-balanced diet.

Eye Care

ACTIVITY 3



Observe the picture and tick do's and don'ts in the given tables

Sl.No.	Practices	I Do	I Don't do
1.	Do you rub the eyes?		
2.	Do you watch TV/work on computer for a long time		
3.	Do you use cold water for cleaning your eyes?		
4.	Do you like eating carrot?		
5.	Do you regularly eat fruits like Orange, sweet lemon and lemon?		

In the above checklist what do you understand?

Eye Care

Eyes are an important organ of our body. They are considered as **“windows to the world”**. Eyesight is the most important sense. 80% of what we perceive comes through the sense of sight. The protection of the eyes, can reduce the odds of blindness and vision loss. we protection of our eye from the diseases, surroundings, climate condition.

Diseases affecting Eye

Disease affecting the eye and their remedial measure are given below:

Hair Care

The condition of the hair reflects to some extent the nutritional status and general health of the body. Thin, sparse hair and the loss of hair indicates a poor nutritional status. The deficiencies in diet, physical and mental illness of various kinds may also leads to premature graying of hair.

The hair follicles from which the hair grows] produce oil which keeps the hair smooth. The sweat and the dead skin cells come off the scalp.

The oil, sweat and dead cells all add together and can make the hair greasy and look dirty unless it is washed regularly.

S.No.	Name of the Disease	Causative Agents	Impacts/Consequences	Remedial measures
1.	Night Blindness	a lack of vitamin A , a disorder of the cells in your retina	makes it hard to see well at night or in poor light..	Eat foods rich in anti-oxidant, vitamins and minerals.
2.	Conjunctivitis (Pink eye)	Caused by a virus and bacteria	One or both eyes can be affected. Highly contagious; can be spread by contamination and sneezing.	Antibiotic eye drops or ointments, home remedy
3.	Color blindness	genetic condition	<ul style="list-style-type: none"> • Difficulty distinguishing between colours • Inability to see shades or tones of the same colour 	There is no known cure for colour blindness. Contact lenses and glasses with filters.

To keep the hair clean and healthy:

The regular hair wash and massage of the scalp will remove the dead skin cells, excess oil and dust.

Rinsing the hair well with clear water and using good toothed comb for hair dressing is highly essential for their maintenance.

Diseases

A **disease** is the functional or physical change from a normal state that affects the health of a person by causing disability or discomfort. The following are reasons that could lead to the development of disease in an individual.



1. Infection caused by disease-causing microbes

2. Lack of balanced diet
3. Poor lifestyle and unhealthy habits
4. Malfunctioning of one or more body parts or organs


Different kinds of sickness and their causes

The prevention and treatment of sickness can be considered in two groups for their better understanding. They are, **communicable and non-communicable disease**.

Communicable Diseases

Communicable diseases are those that spread from one person to another. Healthy persons must be protected from people with communicable diseases. Diseases spread through contaminated air, water, food or vectors (insects and other animals)

Health Risks



Diseases Caused by Bacteria

In this lesson, you will study about some communicable disease (like tuberculosis, Cholera and Typhoid), which are caused by microbes and spread through air, water and some other organisms also.

Tuberculosis:

TB is caused by *Mycobacterium tuberculosis* and spreads from one person to another person through air by spitting and prolonged contact with sharing materials of the patient. The symptoms are fever, weight loss, chronic cough, bloody spitting and difficulty in breathing.



Mycobacterium tuberculosis

Prevention and treatment

- BCG vaccination,
- Giving special attention to the patient,
- Regular medication like DOT

Cholera:

Cholera is caused by *Vibrio cholera* and spread through the consumption contaminated food or water. The symptoms of Cholera is Vomiting, severe diarrhea and cramps in legs.

*Vibrio cholera*

Prevention and treatment


- Good hygienic practices like, washing hands before eating.
- Avoid eating uncovered food from street vendors.
- Drinking boiled water.
- Getting Vaccination against cholera

Typhoid:

Typhoid is caused by *Salmonella typhi* and spreads by contaminated food and water. The symptoms are Anorexia, headache, rashes on abdomen, dysentery and high fever up to 104°F.



TYPHOID FEVER



Prevention and treatment



- Drinking boiled clean water
- Proper disposal of sewage
- Vaccination

Disease Caused by Virus

Viral diseases are extremely widespread infections caused by many type of viruses. In this lesson you will learn about some disease caused by viruses like, Hapatitis, Chickenpox and Rabies.

Hepatitis:

Hepatitis is one of the most dangerous and fatal diseases caused by Hepatitis virus- A, B, C, D, E. Its mode of transmission is Contaminated water, sharing of needles and blood transfusion. The symptoms of hepatitis is loss of appetite, (Anorexia), vomiting, eyes and urine in yellow color.




Prevention and treatment

- Drinking boiled water,
- Proper cleaning of hands

Chickenpox:

Chickenpox (chicken pox), also known as varicella, is a highly contagious infection caused by the varicella zoster virus. . This disease spreads through air and contact with an infected person. Its symptoms is appearance of rashes on the whole body, fever, headache and tiredness.



Prevention and treatment

The chickenpox (varicella) vaccine is the best way to prevent chickenpox

Special attention should be given to the infected persons.


Rabies:

Rabies is a fatal disease. Which is transmitted by the bite of the infected dog, rabbit, monkey, cat etc. The virus present in the saliva of dog enters the brain via neurons. The symptoms of rabies is hydrophobia (extreme fear for water), fever for 2 – 12 weeks and exaggerations in behavior.

Prevention and treatment

- In early stages rabies is very difficult to detect
- After an animal is bitten it usually takes two to twelve weeks to shows any symptoms and it may take as long as two years also.
- Fatality can be prevented by timely vaccination before the onset of symptoms.

Rabies





Vaccine

A **vaccine** is a biological preparation that provides active acquired immunity to a particular disease. Vaccines like (BCG, Polio, MMR) are given at early childhood to protect from other diseases.

ACTIVITY 4

Visit nearby Primary Health Centre and collect information about the vaccination given to the children of 0-15 years. Meet a doctor or a health worker in the hospital and enquire about the types of vaccines available there? disease can be prevented by their usage? Collect the list about the age it should be given?

Non-Communicable diseases

Communicable diseases do not spread from person to person. They are caused by other factors. Therefore, it is important to know which sickness are communicable and which are not. They are never caused by germs, bacteria, or other living organisms that infect the body. Antibiotics, or medicines that fight against germs do not help to cure non-communicable diseases.

Problems caused by wearing out of body parts:

- ❖ Rheumatism, heart attack, epileptic seizures, stroke, migraine headache. Cataract and cancer

Problems caused by external harmful agents entering the body:

- ❖ Allergies, asthma, poisons, snakebite, cough from smoking, stomach ulcer, alcoholism.

Problems caused by a lack of trace elements in the body:

- ❖ Anemia, pellagra, night blindness and xerophthalmia, goiter and hypothyroidism.

Problems caused by Malnutrition.

- ❖ Nutritious food is needed for a person to grow well, work hard, and stay healthy. Many common sicknesses are caused by malnutrition.



Leucoderma is a non-communicable disease caused by partial or total loss of pigmentation in the skin. (**melanin pigment**). This condition affects any age, gender and ethnicity. There is no cure. It does not spread by touching, sharing food and sitting together.

Specific health problems of children

Anaemia

It is caused by eating food with less iron content and can also be caused due to feeding some other foods instead of breast milk. Severe anemia in children may lead to hookworm infection, chronic diarrhoea and dysentery. In recent days school-going children, especially the girls are affected by anemia. The Government of Tamil Nadu provides weekly iron folic tablets to all the girls in the schools of all areas.

The signs of anemia are:

- ❖ Pale or transparent skin, The inner surface of eye lids are pale, white fingernails, pale gums, weakness and fatigue.
- ❖ In severe cases, face and feet may be swollen, the heartbeat is rapid and with shortness of breath.
- ❖ Children and women who eats mud are usually anemic.

Treatment and prevention of anemia:

The signs of anemia are:

- pale or transparent skin
- pale insides of eyelids
- white fingernails
- pale gums
- weakness and fatigue



- If the anemia is very severe, face and feet may be swollen, the heartbeat rapid, and the person may have shortness of breath.
- Children and women who like to eat dirt are usually anemic.

Consuming iron containing food Sources

- ❖ **Food** – Moringa leaves, Dates, Liver (Sheep and Chicken), Green, green leafy vegetables like beans, peas, lentils and Greed banana.
- ❖ **Pills** - Cod liver oil tablet, Ferrous sulfate.



As a general rule, iron supplements should be given orally, not to be injected, because it leads to dangerous.

Safety and First Aid

First aid is the immediate treatment given to the victim of trauma or sudden illness before medical help is made available.

The first aid is

- ❖ To save the life
- ❖ To prevent further bleeding and determine the condition of the patient
- ❖ To relieve the pain
- ❖ To provide a medical care available at the earliest



3.4.1 Burns

The tissue damage caused by heat, chemical, electricity, sunlight or nuclear radiation is known as Burns. Mostly burns are caused by scalds, building fires, flammable liquid and gases. There are three types of burns, according to degree of burning.




- First-degree burns affect only the outer layer (called the epidermis) of the skin
- Second-degree burns damage the epidermis and the layer beneath it (called the dermis)
- Third-degree burns involve damage or complete destruction of the skin to its full depth and damage to underlying tissues also. People who experience such burns often require skin grafting.




First Aid for Burning

In case of minor burns, the affected area should be washed with cold water and an antiseptic cream should be applied. In case of severe burns, where deeper layers of tissues get destroyed and blisters appear, use of water should be avoided. The burnt area should be covered with a clean non-sticking cloth or bandages. Larger burns need immediate medical attention.



It is very important to keep a fire extinguisher readily available.

3.4.2 Cut and Scratches



Cuts and scratches are areas of damage on the surface of the skin. A cut is a line of damage that can go through the skin and into the muscle tissues below, whereas a scratch is surface damage that does not penetrate the lower tissues.

Cuts and scratches may bleed or turn red, become infected and leave scars.

First aid for cuts



For minor cuts, the affected area should be washed with cold running water and cleaned with an antiseptic liquid. Then apply an antiseptic cream on the wound and sterilized bandage should be tied to prevent infection. If the cut is deep, a clean cotton pad should be placed on the cut and pressed, and the injured person should be taken to a doctor immediately.

Basic cleanliness and protection.

1. The most important thing is to help anybody, but you must also protect yourself from HIV and other blood-borne diseases when you help someone who is bleeding. You should wear gloves or a clean plastic bag on your hands.
2. Be careful not to prick yourself with needles or other sharp objects around the person you are helping.

Queen of Medicines – Penicillin



Alexander Fleming



Alexander Fleming
(1881 - 1955)




Alexander Fleming did his
school education at
St. Mary's school in London








As he was very much interested in studying medicine
at the age of 20, he joined medical course at
St. Mary's Medical College and Hospital
with the help of his uncle



In the first world war, soldiers were
wounded heavily and hence many
were infected with contagious diseases



He was appointed the Chairman of the
Medical Board for military soldiers



Points to remember

Health

A state of complete physical, mental and social well-being and not merely the absence of disease or infirmity.

Communicable diseases

Diseases that are caused by pathogens and can be transmitted from an infected person to a healthy person directly or indirectly.



Evaluation

I. Choose the appropriate answer.

- Ravi has sound mind and physically fit body. Which refers to
 - Hygiene
 - Health
 - Cleanliness
 - wealth
- Sleep is not only good for body, but it is also good for
 - Enjoyment
 - Relaxation
 - Mind
 - Environment
- Our living place should be
 - Open
 - Closed
 - Clean
 - Unclean / Untidy
- The tobacco chewing causes
 - Anamia
 - Periodontitis
 - Tuberculosis
 - Pneumonia
- The first aid is to
 - To save money
 - To prevent scars
 - To prevent the medical care
 - To relieve the pain



II. Fill in the Blanks.

- A group of people living together in a particular area is called _____

Non – Communicable diseases

Diseases that are not caused by pathogens and cannot be passed on by a sick person to a healthy person.

First aid

The immediate care given to a patient before a medical person arrives.

- I am green colour box with garbage. Who am I? _____
- Eyes are considered as _____ to the world.
- The hair follicles produce _____ which keeps the hair smooth.
- Tuberculosis is caused by the bacterium_____.

III. True or False – If false give the correct statement.

- All food should be covered.
- Chicken pox also known as Leucoderma.
- Stomach ulcer is a non- communicable disease.
- Rabies is a fatal disease.
- First – degree burns damage the whole skin.

IV. Match the following:

1.	Rabie	Salmonella
2.	Cholera	Yellow Urine
3.	Tuberculosis	Cramps in legs
4.	Hepatitis	Hydrophobia
5.	Typhoid	Mycobacterium

V. Analogy.

- First degree burn: epidermis :: second degree burn: _____
- Typhoid : Bacteria :: Hepatitis : _____
- Tuberculosis : air :: Cholera : _____

VI. Choose the correct alternative from the following.

1. Assertion (A) : Oral hygiene is good.

Reason (R) : Sound teeth and healthy gums with healthy surrounding tissues.

- a) Both A and R are true
- b) Both A and R are false
- c) A is true but R is false.
- d) A is false but R is true.

2. Assertion (A) : Chicken pox is a viral communicable disease.

Reason (R) : Characterized by rashes on the whole body, fever, head ache and tiredness.

- a) Both A and R are true
- b) Both A and R are false
- c) A is true but R is false.
- d) A is false but R is true.

VII. Very Short Answer.

- What is hygiene?
- Write about the right way of protect the eyes?
- How to keep your hair clean and healthy?
- Sobi frequently playing with her mobile. Suggest your ideas to protect his eye from irritation?
- Give any two communicable disease, which spreads in your locality during monsoon?
- What first aid will you provide in the case of bruises?
- Ravi said "Ganga had minor burn, so I washed with water" Do you agree with his statement or not? Explain Why?

VIII. Short Answer.

- Why the first aid is essential?

2. What this picture Explains?



3. Distinguish between the following pairs

Communicable diseases and **Non-communicable diseases**


- What steps you will follow to keep the Teeth healthy?
- Name the mode of transmission of **communicable** disease.
- The hair is thin, spares and lost very often. Suggested your ideas to reduce this problem?

IX. Answer in detail.

- Write about any three Communicable diseases in details.
- List the situations in which first aid is given. What would you do if a person suffers from skin burns?
- How the disease are transmitted from one person to the other person?

X. Higher order thinking question.

A person is sleeping during day time. Why does this happen with some people that they feel sleepy during day time in office or in the classroom. Have you ever come across such situation? Explain.



Unit 7

Visual Communication



Learning Objectives

After learning the lesson, students will be able to.

- ❖ Differentiate a file from a folder
- ❖ Know how to create a file and a folder
- ❖ Use the system application like *PAINT* to create images.
- ❖ Use the system application like *photo story* to create video from images.



In general, whenever we think of computers, the things that come to our mind is computer screen, keyboard, mouse and CPU. We learnt about computer and parts of a computer as introductory part in standard VI. Apart from that, software and hardware also plays vital role in the working of computer. Now, shall we learn how to operate the computer?

The reason we prefer computer is its speed and the ability to store data. How can we save data and information in computer? We can save them in folders which accommodate multiple files or a single file. Let us understand the terminologies like file and folder before moving further.



File: The output we get from any application is commonly referred as 'file'. Therefore the application for the specific purposes determines the nature of the file.

7.1 Folder:


A folder is a storage space that contains multiple files. We can create files as per the user's need. For clear understanding, we can take the example of a bookshelf in a library. The individual book can be considered as a 'file' and the whole set of books in a shelf can

be considered as folders. When we right click on the mouse, the popup menu appears on the screen with multiple options. Select 'NEW' option and a secondary menu comes up with another set of options. Select 'Folder' option in the menu. You can now save your file(s) in the newly created folder.]



More people are using Windows and LINUX operating systems in their computers. We can do many activities like collect notes, draw/paint, create animations /spreadsheets/ word docs/PPTs etc.

We use 'Guide Board' to go to the unknown places like that when we 'On' the computer click the 'START' button at the left corner of the computer, it shows the list of all programs in the computer. Now select the required program and create the required files.



How can we create Files?


For example if the computer is operating on the Windows OS, we can collect our notes in

‘Notepad’ application and draw pictures in ‘Paint’ application.

As per its name we can type notes in ‘Notepad’ and save the created files in a folder. Likewise in the ‘Paint’ app we can draw and edit pictures. With these pictures, let us see how we can create image gallery, animations and graphics easily.



Pictures and audio-visually gives us more understanding than teaching and writing on the black board. Is it right?



Instead of saying a story like ‘once upon a time there was a king’ we can understand the concept easily by seeing the video and also it registers firmly in the minds of the students. The device which helps in explaining the

concepts easily through pictures is known as ‘Visual Communication Device’. For example photos, audio –visuals, drawings, animations all these can be created easily with the help of computer. Cinema is a good example for ‘Visual Communication Device’.

7.2 Photo Gallery and Photostory:

You all must have admired the photos in the albums.



To beautify photos and edit the photos

photographers are using a software known as ‘Photoshop’. Can we make photo gallery only with the help of photos or is there anything more to do with a bunch of photos? We can make photostory. Yes, with the photos we can make a story.

In first standard we have studied photo stories like this. Children learn concepts easily through photo stories than by reading words. This type of photo stories can be converted easily into videos with the help of the software ‘Microsoft Photo story’.




Microsoft Photostory

To make videos with the help of this software we have to order the photos first, then we have select a music and keep in a file.

Step 1: Open the application of 'Microsoft Photostory'. In that select '**Begin A New Story**' and click on Next.




Step 2: Click '**Import Picture**' in the next screen. Now, the files in our computer will appear. Select Saved pictures for video. There is a provision for editing the picture. If required, we can edit the image and click on 'Next'.




Step 3: Now we can input small text which is apt to the pictures. Then click on 'Next' and give animation to the videos. We can give audio effect also to these images. After finishing this click on 'Next'.

Step 4: To provide background music, we can select a music file through "Select Music" and click on "Next".



Step 5: Next select a title for the story and select the place where it has to be saved in your computer. Then, through SETTINGS, change the format of the video.



Step 6: Now our video is ready to view. Click '**VIEW YOUR STORY**'. You can see your video now.



GRAPHICS AND ANIMATION:

Raster Graphics

The picture or image which is created by Raster Graphics is entered as it is 'as file and data'. Pictures are of two types one is Vector another one is Raster.



Raster Graphics are created on the basis of PIXELS. The photos taken by camera and the photos scanned by a scanner are of the Raster type. When we enlarge this type of photos we could see the pictures as rectangular layers or grids.

Raster File Types:

- .png (Portable Network Graphics)
- .jpg or .jpeg (Joint Photographics Experts Group)
- .gif (Graphics interchange Format)
- .tiff (Tagged Image File Format)
- .psd (Photoshaop Document)

The Software which edit the Raster Graphics:

- Adobe Photoshop
- Vector Graphics

As the Vector Pictures are created on the basis of Mathematics, even when we enlarge the picture it's accuracy won't change.


Types of Vector Graphics Files

- .eps (Encapsulated Post Script)
- .ai (Adobe Illustrator Artwork)
- .pdf (Portable Document Format)
- .svg (Scalable Vector Graphics)
- .sketch

The Softwares which edit the Vector Graphic Images

- Adobe Illustrator
- Sketch
- Inkscape

Inkscape



Step 1: First we have to scan the picture we have drawn in the COMPUTER.



Step 2: Then we have to open this picture in the 'INKSCAPE' software. Select the entire picture.



Step 3: Select PATH option. From the submenu, select 'TRACE BITMAP' option.




Step 4: Do corrections in the small screen which appears. Now UPLOAD this edited image and click on OK.




Step 5: Now close the screen of TRACE BITMAP. Now click the picture that appears on the present screen and drag it. You will get the vector graphics of the drawn picture. SAVE it by clicking the 'save button' and save it in your choice of file format.



2 Dimensional and 3 Dimensional Images:



As soon as we see the above picture we know the difference between the two. The first is TWO DIMENSIONAL (2D) another one is THREE DIMENSIONAL (3D). The two dimensional 2D images have only the two dimensions - length and height. But three dimensional images (3D) have length, height and width. 3D images appear in front of our eyes like it happens in the real world.



Three dimensional videos will bring the scenes alive before our eyes. Already there are three dimensional films. Now three dimensional games have also got released.

Now there is another new technology - VIRTUAL REALITY in 3D. VIRTUAL REALITY is a technology which shows the computer image as real image. When we see games through this technology we can feel/perceive the setting of the game as real. Now this technology has been introduced in Smart Phones too.



Evaluation

I. Choose the correct answer.

- Which is the example for anWimation ?
a) sound communication
b) visual communication
c) vector communication
d) raster communication
- Who uses the Photoshop software more ?
a) Teacher
b) Doctor
c) Painter
d) Photographer
- Which option is used in the Microsoft Photostory to upload the photos?
a) Begin a Story
b) Import Pictures
c) Settings
d) View your Story
- Which technology shows the computer-drawn pictures as real picture.
a) Inkscape
b) Photo Story
c) Virtual Reality
d) Adobe Illustrator



- Which technology uses pixels to create pictures
a) Vector
b) Raster
c) both
d) None
- Which software is used to create symbols
a) Photoshop
b) Illustrator
c) Vector Graphics
d) Photostory

II. Match the Following:

1.	Animations	3D
2.	Raster	Visual Communication
3.	Vector	Pixles
4.	Virtual Reality	Microsoft Photostory
5.	Video Story	Illustrator

III. Answer the following Questions.

- What is Raster Graphics?
- Write notes on 2D and 3D pictures
- Differentiate between Raster and Vector
- With the help of Microsoft Photostory how will you create a video on a photostory?



Atoms	-	அணுக்கள்
Anion	-	எதிர்மின் அயனி
Asexual Reproduction	-	பாலிலா இனப்பெருக்கம்
Androecium	-	மகரந்தத்தாள் வட்டம்
Anemia	-	இரத்த சோகை
Antiseptic	-	கிருமிநாசினி / நச்சுத்தடை பொருள்
Acceleration	-	முடுக்கம்
Aphelion	-	சூரியனுக்கு, தொலைவில் இருக்கும் பூமியின் நிலை (portion)
Astronomy	-	வானியல் பொருட்களைப் பற்றி படிக்கும் இயற்பியலின் ஒரு பிரிவு
Anion	-	எதிர்மின் அயனி

Budding	-	மொட்டு விடுதல்
Burn	-	தீக்காயம்
Bruise	-	கன்றிப்போன காயம்
Compound	-	இரண்டு அல்லது அதற்கு மேலான, வேறுபட்ட மூலக்கூறுகளிலான சேர்மம்
Chemical formula	-	அணுக்கள் மற்றும் மூலக்கூறுகளைக் குறிக்கக்கூடிய குறியீடு
Cation	-	நேர்மின் அயனி
Coloumb	-	மின்னூட்டத்தின் அலகு
Calyx	-	புல்லி வட்டம்
Corolla	-	அல்லி வட்டம்
Communicable disease	-	தொற்று நோய்கள்
Cross Pollination	-	அயல் மகரந்தச் சேர்க்கை
Centre of gravity	-	ஈர்ப்பு மையம்
Celestial bodies	-	வானியல் பொருள்கள்
Ductile	-	கம்பியாக மாற்றக்கூடிய தன்மைவாய்ந்த உலோகம்
Density	-	ஒரலகு பருமனில் அடங்கியுள்ள மொத்த பொருளின் நிறை
Distance	-	தொலைவு
Displacement	-	இடப்பெயர்ச்சி
Derived quantities	-	அடிப்படை அளவுகளிலிருந்து தருவிக்கப்பட்ட அளவுகள்
Element	-	ஒரே வகை அணுக்களினால் ஆன தனிமம்
Equilibrium	-	சமநிலை
Free radical	-	முடிவுறாமூலக்கூறு
Fragmentation	-	துண்டாதல்
Fertilization	-	கருவுறுதல்
First Aid	-	முதலுதவி
Gynoecium	-	சூலக வட்டம்
Gingivitis	-	பல்ஈறு வீக்கம்
Ion	-	அயனி
Inter atomic Distance	-	இரு அணுக்களுக்கு இடையே உள்ள தொலைவு
Matter	-	அணு மற்றும் மூலக்கூறுகளினால் ஆன பருப்பொருள்
Malleable	-	தகடாக மாற்றக்கூடிய தன்மைவாய்ந்த உலோகம்
Mass	-	பருப்பொருள்களில் அடங்கியுள்ள பொருளின் அளவு
Melting	-	திடப்பொருள் திரவமாக மாறக்கூடிய நிகழ்வு
Matter	-	பருப்பொருள்
Molecules	-	மூலக்கூறுகள்

Meditation	-	தியானம்
Measuring container	-	அளவுகள் குறிக்கப்பட்ட கொள்கலன்
Non- Uniform Acceleration	-	சீரற்ற முடுக்கம்
Negative Acceleration	-	எதிர் முடுக்கம்
Neptune	-	சூரிய குடும்பத்தில் உள்ள ஒரு கோளின் பெயர்
Orbit	-	ஆற்றல் மட்டம்
Particles	-	சிறிய துகள்கள்
Pollination	-	மகரந்தச் சேர்க்கை
Plaque	-	பல் சொத்தை / பல்தட்டை
Pustules	-	கொப்பளங்கள்
Positive Acceleration	-	நேர் முடுக்கம்
Perihelion	-	சூரியனுக்கு அருகில் இருக்கும் பூமியின் நிலை (position)
Physical quantity	-	ஒரு பொருளின் இயற்பியல் பண்புகளின் அளவுகள்
Sexual Reproduction	-	பாலினப் பெருக்கம்
Subatomic particles	-	அணுவகத் துகள்கள்
Self Pollination	-	தன் மகரந்தச் சேர்க்கை
Speed	-	வேகம்
SI – System of international unit	-	பன்னாட்டு அலகு முறை
Tuberculosis	-	காச நோய்
Uniform Acceleration	-	சீரான முடுக்கம்
Valency	-	இணைத்திறன்
Vegetative propagation	-	உடல வழி இனப்பெருக்கம்
Velocity	-	திசைவேகம்
Vacuum	-	வெற்றிடம் (காற்று இல்லாத இடம்)

Authors List - VII Science

Advisory Committee & Chairperson

Dr. T.V. Venkateswaran

Scientist, DST, Vigyanaprasar,
New Delhi.

Dr. Mazher Sulthana

Professor & Head (Rtd.),
P.G. Department of Zoology,
Presidency College, Chennai.

Reviewers

Prof. Reeta John

Professor & Head,
Dept. of Theoretical Physics,
Madras University, Chennai.

Dr. V. Sivamadavi

Associate Professor,
Bharathi Women's College, Chennai.

Dr. R. Kumaran

Assistant Professor, Dept. of Chemistry,
Vaishnav College, Arumbakkam, Chennai.

Dr. G. Rajalakshmi

Assistant Professor,
Department of Botany,
Bharathi Women's College, Chennai.

Content Readers

Dr. K.P. Girivasan

Associate Professor,
Department of Botany,
Govt. Arts & Science College, Nandanam, Chennai.

Dr. S. Shameem

Deputy Director,
SCERT, Chennai.

ICT Coordinators

A.Saranya

S.G.T, P.U.P. School,
Sellathapalayam, Modakkurichi Block,
Erode Dt.

Art and Design Team

Illustration

Charles, Pramoth, Velmurugan

Layout Design

V.S. Johnsmith

T.Nagar, Chennai

Info Graph

V. Srinivasan

Valasaravakkam, Chennai.

Wrapper Design

Kathir Arumugam

QC

Manohar Radhakrishnan

Co-ordination

Ramesh munisamy

Typing

M. Sathya

New Perunkalathoor.

Experts & Coordinators

D. Prabakaran

Assistant Professor,
SCERT, Chennai.

S. Rajesh

B.T. Asst. GHSS, Vanganoor,
Thiruvallur.

Authors

D. Perumal Raj

BT Asst.,
PUMS, Manickamangalam, Valaingan Block, Thiruvallur.

M. Mohanapriya

PGT. Asst., GGHS, Koradachery, Thiruvallur Dt.

N. Ramesh Babu

BT Asst., PUMS, Sholavaram, Thiruvallur Dt.

Dr. N. Vidhyageetha

Lecturer - DIET Aduthurai, Thanjavur.

M. Ananthan

BT Asst., GHS, Servaikaranpatti, Dindigul.

S. Shyamala

BT Asst., Govt. Adi- dravidar Welfare High School, Pulianthope,
Chennai.

N. Manikandan

BT Asst., GHS, Rasingapuram, Theni.

N. Balusamy

HM (Retd.), Corporation Hr. Sec. School, Peelamedu,
Coimbatore.

M. Tamilarasi

PGT (Retd.), St. Joseph GHSS, Vadugarpet, Lalgudi, Trichy.

D. Revathy

B.T, Municipal Higher Secondary School,
Rajagopalapuram, Pudhukottai Dt.

QR Code Management Team

R. Jaganathan

S.G.T. (SPOC)
PUMS Ganesapuram - Polur, Thiruvannamalai Dist.

J.F. Paul Edwin Roy

B.T. Asst.,
PUMS Rakkipatti, Veerapandi, Salem Dist.

V. Padmavathi

B.T. Asst., GHS, Vetriyur, Ariyalur.